

## SABINE RIVER AUTHORITY OF TEXAS

**TO:** INTERESTED PARTIES  
**FROM:** ENVIRONMENTAL SERVICES DIVISION  
**RE:** MARCH 2021 MONTHLY WATER QUALITY REPORT

---

The Environmental Services Field Offices conducted water quality monitoring in the Sabine Basin from March 15<sup>th</sup> through the 18<sup>th</sup> and 24<sup>th</sup>. The results of field monitoring are presented in this report<sup>1</sup> and additional data can be found using the Texas Commission on Environmental Quality (TCEQ) [Clean Rivers Program Data Tool](#).

### **Sabine Basin Tidal (Including Tributaries)**

**Weather** – Air temperatures in the tidal basin were variable with highs in the upper 70s to low 80s. Low temperatures were in the upper 40s to upper 60s. The tidal stations received 0.52 inches of rainfall in the seven days prior to the sampling event.

**Tidal Conditions** – Surface salinity values were not greater than 1 ppt at any of the seven tidal stations. The highest salinity value of 2.6 ppt was recorded at station 10391(SRT1) at a depth of 7.0 meters.

### **Lower Sabine Basin (Toledo Bend Reservoir and the Sabine River downstream to Tidal)**

**Weather** – Air temperatures in the lower basin were variable with highs in the upper 70s. Low temperatures were in the low 50s to low 60s. Toledo Bend received 0.15 inches of rainfall during the seven days prior to the sampling event.

**Lake Level** - The level of Toledo Bend was 169.69 feet with a daily average discharge of 14,550 cfs on the day of sampling. Toledo Bend has a conservation pool level of 172 feet msl. Reservoir profiles indicated a mixed water column.

### **Upper Sabine Basin (Lake Tawakoni, Lake Fork Reservoir, and the Sabine River upstream of Toledo Bend)**

**Weather** - Air temperatures in the upper basin were mild with highs in the mid 60s to upper 70s. Low temperatures were in the upper 30s to mid 60s. Lake Fork and Lake Tawakoni received 0.61 and 0.21 inches of rainfall during the seven days prior to sampling, respectively.

**Lake Level** - The level of Lake Tawakoni was 437.93 feet msl with a release of 356 cfs on the day of sampling. The level of Lake Fork was 402.76 feet msl with a 10 cfs release on the day of sampling. Lake Tawakoni and Lake Fork have conservation pool levels of 437.5 feet msl and 403 feet msl, respectively. Reservoir profiles at Lake Fork and Lake Tawakoni indicated a mixed water column.

This report and additional links to data for these monitoring stations are available at the [Sabine River Authority of Texas website](#). If you have any questions or comments concerning this report, please contact:

- Pollie Holtham, Environmental Services Division Manager  
409-746-3284 ([pholtham@sratx.org](mailto:pholtham@sratx.org))
- *Lower and Tidal Sabine Basin*  
Jerry Wiegreffe, Environmental Services Assistant Division Manager  
409-746-3284 ([jwiegreffe@sratx.org](mailto:jwiegreffe@sratx.org))
- *Upper Sabine Basin*  
Terry Wilson, Upper Basin Field Office Coordinator  
903-878-2420 ([twilson@sratx.org](mailto:twilson@sratx.org))

---

<sup>1</sup> Data in this report is considered preliminary until it is available in TCEQ's Surface Water Quality Monitoring Information System database.

**SABINE RIVER AUTHORITY OF TEXAS**  
**Monthly Water Quality Report**


Table of Contents

<b>Fixed Monitoring Stations .....</b>	<b>4</b>
<b>Segment 0501 – Sabine River Tidal.....</b>	<b>5</b>
<b>Segment 0502 - Sabine River Above Tidal.....</b>	<b>7</b>
<b>Segment 0503 - Sabine River Above Caney Creek .....</b>	<b>8</b>
<b>Segment 0504 – Toledo Bend Reservoir.....</b>	<b>9</b>
<b>Segment 0505 - Sabine River Above Toledo Bend Reservoir .....</b>	<b>14</b>
<b>Segment 0506 - Sabine River Below Lake Tawakoni .....</b>	<b>15</b>
<b>Segment 0507 - Lake Tawakoni .....</b>	<b>19</b>

Table of Figures

<b>Sabine Basin Map .....</b>	<b>3</b>
<b>Segment 0501.....</b>	<b>6</b>
<b>Segment 0502.....</b>	<b>7</b>
<b>Segment 0503.....</b>	<b>8</b>
<b>Toledo Bend Reservoir Profiles .....</b>	<b>12</b>
<b>Segment 0504.....</b>	<b>13</b>
<b>Segment 0505.....</b>	<b>14</b>
<b>Lake Fork Reservoir Profiles.....</b>	<b>17</b>
<b>Segment 0506.....</b>	<b>18</b>
<b>Lake Tawakoni Reservoir Profiles .....</b>	<b>20</b>
<b>Segment 0507 .....</b>	<b>21</b>

## Sabine Basin Map



## Current Fixed Monitoring Stations

Segment	Station TCEQ ID (SRA-TX ID)	Location
501	10391 (SRT1)	SABINE RIVER AT CHANNEL CAN 3
501	15654 (BB1)	BLACK BAYOU IN CAMERON PARISH
511	10449 (CB1)	COW BAYOU AT ROUND BUNCH ROAD
508	10441 (AB2)	ADAMS BAYOU AT FM 1006
501	15653 (ICW1)	INTERCOASTAL WATERWAY AT PERRY RIDGE
501	10394 (SRT2)	SABINE RIVER AT IH 10
501	10395 (SR1)	SABINE RIVER 12.00 KM UPSTREAM OF IH 10
502	10397 (SR2)	SABINE RIVER AT SH 12 NORTH OF DEWEYVILLE TX.
513	10465 (BCC1)	BIG COW CREEK AT FM 1416 SOUTH OF BON WIER
503	10398 (SR3)	SABINE RIVER AT US 190 EAST OF BON WIER TX.
503	10340 (BA4)	ANACOCO BAYOU AT LOUISIANA HWY 111 CROSSING SOUTHWEST OF KNIGHT LA.
503	10399 (SR5)	SABINE RIVER AT SH 63 EAST OF BURKEVILLE TX.
503	10401 (TB6S)	SABINE RIVER BELOW TOLEDO BEND RESERVOIR AT RIGHT ABUTMENT OF SPILLWAY FOR DAM
503	15660 (BT1)	BAYOU TORO AT LA SH 392 IN SABINE PARISH SW OF HORNBECK LA.
504	10404 (TB6A)	TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL
504	10406 (TB6C)	TOLEDO BEND RESERVOIR IN SIX MILE BOAT LANE 0.8KM EAST OF SH 87
504	18054 (TB6Q)	TOLEDO BEND RESERVOIR IN NEGREET BAYOU
504	10411 (TB6F)	TOLEDO BEND RESERVOIR IN SUNSHINE BAY NEAR FM 3121 BRIDGE
504	10402 (TB6H)	TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM
504	15659 (TB6K)	TOLEDO BEND RESERVOIR IN LANANA BAYOU AT LOUISIANA SH 191 IN SABINE PARISH LOUISIANA WEST OF MANY
504	15655 (TB6J)	TOLEDO BEND RESERVOIR PATROON BAYOU BRANCH AT FM 276
504	18053 (TB6LN)	TOLEDO BEND RESERVOIR SAN MIGUEL ARM BOAT LANE
504	18052 (TB6R)	TOLEDO BEND RESERVOIR AT RAGTOWN
505	10415 (SR10)	SABINE RIVER AT FM 2517
505	13628 (SR11)	SABINE RIVER AT US 59
505	10427 (SR16)	SABINE RIVER AT SH 42
506	10428 (SR17)	SABINE RIVER AT US 271
506	10429 (SR19)	SABINE RIVER AT SH 14 S. OF HAWKINS
506	10430 (SR21)	SABINE RIVER AT US 69
514	10468 (BS1)	BIG SANDY CREEK AT SH 155
515	10469 (LF20)	LAKE FORK CREEK AT US 80
512	10458 (LF2)	LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL
512	10462 (LF4)	LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM 515
512	10461 (LF3)	LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM 515
507	10434 (LT23A)	LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM
507	21173 (LT23DN)	LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS 1.17KM BEARING 18.61 DEGREES FROM IRON BRIDGE PUMPING STATION
507	10437 (LT23B)	LAKE TAWAKONI AT SH 276

## Segment 0501 – Sabine River Tidal

**Description:** The designated segment includes the Sabine River from the confluence with Sabine Lake in Orange County to West Bluff in Orange County. Although some areas are quite rural, this part of the Sabine Basin has two cities with populations greater than 5,000 and a variety of industries.


**Segment 0508 – Adams Bayou Tidal.** The segment reaches from the confluence with the Sabine River in Orange County to a point 1.1 kilometers (0.7 miles) upstream of IH-10 in Orange County.

**Segment 0511 – Cow Bayou Tidal.** The segment reaches from the confluence with the Sabine River in Orange County to a point 4.8 kilometers (3.0 miles) upstream of IH-10 in Orange County.

## Segment 0501 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond μS/cm	TDS mg/L	Salinity ppt	Secchi meters	Turbidity NTU	Enterococcus mpn/ 100mL
3/18/21 09:45	10391(SRT1)	0.3	18.5	7.3	7.9	84	155	101	0.1	0.55	24.5	496
		2.0	18.6	7.0	7.8	83	150	96	0.1			
		4.0	18.6	7.2	7.6	82	153	97	0.1			
		6.0	18.5	7.1	7.8	83	153	99	0.1			
		7.0	18.5	7.0	4.4	69	4,810	3,070	2.6			
3/18/21 09:26	15654(BB1)	0.3	16.8	6.8	7.1	73	1,610	1,030	0.8	0.40	35.6	259
		2.0	17.0	6.7	7.0	73	1,610	1,030	0.8			
		4.0	17.0	6.6	7.0	73	1,610	1,030	0.8			
<b>Segment 0511</b>												
3/18/21 09:02	10449(CB1)	0.3	20.4	6.6	5.8	64	322	206	0.2	0.24	41.1	1,664
		1.5	20.3	6.7	6.0	66	322	206	0.2			
		3.0	20.3	6.6	6.1	67	322	207	0.2			
<b>Segment 0508</b>												
3/18/21 10:10	10441(AB2)	0.3	20.1	6.9	2.9	32	358	229	0.2	0.39	24.2	2,613
		2.0	20.3	6.7	2.6	29	355	227	0.2			
		4.0	20.0	6.7	2.4	26	345	221	0.2			
3/18/21 10:30	15653(ICW1)	0.3	17.8	7.2	8.2	86	186	120	0.1	0.49	21.1	52
		2.5	17.8	6.8	8.1	85	186	119	0.1			
		5.0	17.7	6.9	8.2	86	185	119	0.1			
3/18/21 11:37	10394(SRT2)	0.3	17.4	6.9	7.8	82	128	82	0.1	0.50	18.4	134
		2.0	17.4	6.6	7.8	81	128	82	0.1			
		4.0	17.4	6.7	7.7	81	128	82	0.1			
		7.0	17.4	6.5	7.1	73	128	82	0.1			
3/18/21 12:18	10395(SR1)	0.3	16.8	6.9	8.3	86	137	88	0.1	0.57	18.8	52

## **Segments 0501, 0508 & 0511**



## Segment 0502 - Sabine River Above Tidal

**Description:** The designated segment includes the Sabine River from West Bluff in Orange County to the confluence with Caney Creek in Newton County. The largest tributary is Big Cow Creek (Segment 0513). This is largely a rural area with no major industries or cities.

**Segment 0513 – Big Cow Creek.** The segment reaches from the confluence with the Sabine River in Newton County to a point 4.6 kilometers (2.9 miles) upstream of CR 255 in Newton County.


### Segment 0502 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
3/16/21 08:23	10397(SR2)	08030500	Sabine River near Ruliff, TX	13,100

### Segment 0502 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
3/16/21 08:23	10397(SR2)	0.3	16.9	7.0	9.3	96	126	81	0.44	14.3	31
<b>Segment 0513</b>											
3/16/21 09:13	10465(BCC1)	0.3	20.2	6.1	8.0	88	45	29	0.63	14.6	34

### Segments 0502 & 0513



## Segment 0503 - Sabine River Above Caney Creek

**Description:** The designated segment includes the Sabine River from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County. This is largely a rural area, including one major city with a population greater than 5,000 and few industries. Two major tributaries that flow from Louisiana include Bayou Anacoco and Bayou Toro.


### Segment 0503 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
3/16/21 11:40	10398(SR3)	08028500	Sabine River near Bon Wier, TX	14,100
3/16/21 10:30	10399(SR5)	08026000	Sabine River near Burkeville, TX	12,800

### Segment 0503 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
3/16/21 11:40	10398(SR3)	0.3	13.5	7.2	10.2	98	132	84	0.66	13.3	5
3/16/21 11:14	10340(BA4)	0.3	20.3	7.2	6.5	72	346	222	0.24	32.1	6
3/16/21 10:30	10399(SR5)	0.3	13.0	7.3	10.6	100	126	81	>1.2	4.10	3
3/15/21 11:55	10401(TB6S)	0.3	12.5	7.7	10.9	102	125	80	>1.2	3.87	4
3/15/21 11:35	15660(BT1)	0.3	19.8	7.0	8.5	94	108	69	0.57	15.0	26

### Segment 0503



## Segment 0504 – Toledo Bend Reservoir

**Description:** The designated segment includes the Sabine River from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County. Although this area is largely rural, it includes two cities with populations greater than 5,000. Murvaul Creek is a major tributary that enters upstream of the reservoir.

### Segment 0504 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
3/17/21 13:03	10404(TB6A)	0.3	13.3	7.5	10.4	100	127	81	1.8	3.60	<1
		1.0	13.2	7.2	10.4	100	127	81			
		2.0	12.9	7.2	10.5	99	127	81			
		3.0	12.7	7.3	10.4	97	127	81			
		4.0	11.8	7.2	10.2	94	127	81			
		5.0	11.2	7.2	9.8	90	127	81			
		8.0	10.5	7.0	9.5	85	127	81			
		11.0	10.0	6.9	9.2	81	127	81			
		14.0	9.7	6.9	9.0	80	127	81			
		17.0	9.6	6.7	8.9	78	127	81			
		20.0	9.5	6.7	8.8	77	127	81			
		23.0	9.4	6.7	8.8	78	127	81			
		26.0	9.2	6.5	8.2	72	127	81			
3/17/21 08:13	10406(TB6C)	0.3	20.5	7.2	9.0	100	120	77	0.76	12.6	<1
		1.0	20.5	7.0	9.0	100	120	77			
		2.0	20.5	7.0	9.1	100	119	76			
		3.0	19.3	6.8	7.9	89	119	76			
3/24/21 10:10	18054(TB6Q)	0.3	16.3	7.8	10.4	106	142	91	1.5	2.95	<1
		1.0	16.3	7.8	10.4	106	142	91			
		2.0	16.3	7.8	10.4	106	142	91			
		3.0	16.3	7.8	10.4	106	143	91			
		4.0	16.3	7.7	10.5	106	142	91			
		5.0	16.1	7.7	10.4	105	142	91			
		6.0	15.7	7.6	10.2	101	143	91			
		7.0	15.3	7.5	9.9	97	143	92			
		8.0	13.7	6.9	6.1	58	144	92			


## Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
3/15/21 10:17	10411(TB6F)	0.3	19.7	7.4	9.0	98	106	68	0.56	16.5	4
		1.0	19.5	7.1	8.9	97	106	68			
		2.0	18.3	7.0	8.9	95	101	64			
		3.0	16.0	6.9	9.1	92	99	63			
		4.0	13.0	6.7	6.9	65	95	61			
		5.0	12.3	6.4	6.1	57	95	61			
3/17/21 11:35	10402(TB6H)	0.3	15.1	7.6	10.2	101	157	101	0.9	7.20	2
		1.0	14.9	7.4	10.2	100	159	101			
		2.0	14.3	7.4	10.1	98	161	104			
		3.0	13.9	7.2	9.9	96	162	104			
		4.0	13.9	7.2	9.9	96	162	104			
		5.0	13.8	7.1	9.8	94	163	104			
		6.0	13.1	7.1	9.4	89	163	105			
		7.0	12.5	7.0	8.9	84	164	105			
		8.0	12.4	6.9	8.9	83	164	105			
		9.0	12.4	6.9	8.8	82	164	105			
		10.0	12.3	6.8	8.8	82	164	105			
		11.0	12.3	6.8	8.8	82	164	105			
		12.0	12.2	6.9	8.7	81	164	105			
		13.0	12.1	6.8	8.7	81	164	105			
		14.0	12.1	6.8	8.5	79	164	105			
3/15/21 10:46	15659(TB6K)	0.3	19.1	7.4	9.4	102	176	112	0.43	14.0	2
		1.0	18.7	7.3	9.3	99	172	111			
		2.0	16.8	7.2	9.9	102	158	101			
		3.0	16.0	7.1	10.2	103	153	98			
		4.0	15.8	7.0	10.1	102	155	99			
		5.0	13.7	6.9	8.9	84	155	99			
		6.0	12.6	6.8	8.1	75	159	102			
		7.0	12.3	6.6	7.4	68	161	103			
		8.0	12.0	6.7	7.1	64	162	103			
		9.0	11.8	6.5	6.6	61	163	104			
3/15/21 09:43	15655(TB6J)	0.3	18.6	7.4	9.3	99	182	117	0.53	12.4	8
		1.0	18.5	7.1	9.3	99	180	115			
		2.0	18.0	7.0	9.3	98	173	111			
		3.0	17.5	6.9	9.5	100	167	107			
		4.0	15.9	6.9	7.8	78	167	107			


## Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
3/24/21 11:09	18053(TB6LN)	0.3	18.1	7.9	10.3	109	142	91	0.96	5.60	4
		1.0	18.0	7.8	10.3	109	142	91			
		2.0	17.6	7.7	10.0	105	142	91			
		3.0	17.3	7.5	9.5	99	141	91			
		4.0	16.8	7.3	8.8	90	141	90			
		5.0	16.4	7.2	8.8	90	143	91			
3/17/21 09:58	18052(TB6R)	0.3	18.4	7.3	8.9	95	177	113	0.63	16.5	<1
		1.0	18.4	7.1	8.8	94	177	113			
		2.0	18.4	7.0	8.8	93	178	114			
		3.0	18.4	7.0	8.8	93	178	114			
		4.0	18.3	6.9	8.8	93	178	114			
		5.0	18.3	6.9	8.8	93	178	114			
		6.0	18.3	6.8	8.7	92	178	114			
		7.0	18.3	6.8	8.7	92	177	113			
		8.0	18.3	6.9	8.7	92	177	113			
		9.0	18.1	6.8	8.6	90	175	112			
		10.0	17.6	6.8	8.1	84	172	110			
		11.0	16.0	6.7	7.9	79	204	130			
		12.0	14.4	6.6	5.8	56	218	139			
		13.0	14.1	6.6	5.4	52	219	140			


### Toledo Bend Reservoir Profiles



TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL




TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM



TOLEDO BEND RESERVOIR AT RAGTOWN

## Segment 0504



## Segment 0505 - Sabine River Above Toledo Bend Reservoir

**Description:** The designated segment includes the Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County. Segment 0505 is used extensively for water supply and contains the highest concentration of population in the Sabine Basin with eight cities having populations greater than 5,000. Segment 0505 includes a large section of the East Texas Oilfield as well as numerous industries.


### Segment 0505 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
3/17/21 09:52	13628(SR11)	08022040	Sabine River near Beckville, TX	2,680

### Segment 0505 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond $\mu\text{S}/\text{cm}$	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
3/17/21 10:22	10415(SR10)	0.3	18.0	7.1	8.1	86	256	160	0.11	76.4	53
3/17/21 09:52	13628(SR11)	0.3	17.7	7.1	8.3	88	248	159	0.07	105	108
3/17/21 08:36	10427(SR16)	0.3	16.9	7.2	8.5	89	215	140	0.11	67.7	201

### Segment 0505



## **Segment 0506 - Sabine River Below Lake Tawakoni**

**Description:** The designated segment includes the Sabine River from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County. This is largely a rural area with no cities having a population greater than 5,000. Oilfield activities, rural housing developments, and agriculture are in the watershed. The major tributaries include:

**Segment 0514 - Big Sandy Creek.** The segment reaches from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County.

**Segment 0515 - Lake Fork Creek.** The segment reaches from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County.

**Segment 0512 - Lake Fork Reservoir.** The segment reaches from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet.

### **Segment 0506 USGS- Recorded Flows**

Date and Time	Station	USGS Station #	Location	Flow (cfs)
3/17/21 08:12	10428(SR17)	08020000	Sabine River near Gladewater, TX	1,910
3/17/21 07:10	10429(SR19)	08019200	Sabine River near Hawkins, TX	1,200
3/16/21 14:54	10430(SR21)	08018500	Sabine River near Mineola, TX	810
<b>Segment 0514</b>				
3/17/21 07:25	10468(BS1)	08019500	Big Sandy Creek near Big Sandy, TX	191


### **Segment 0506 Water Quality**

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
3/17/21 08:12	10428(SR17)	0.3	16.7	7.2	8.6	90	218	140	0.11	74.0	186
3/17/21 07:10	10429(SR19)	0.3	15.8	7.2	8.9	90	265	169	0.11	63.3	155
3/16/21 14:54	10430(SR21)	0.3	13.5	7.5	9.5	92	315	202	0.12	73.7	205
<b>Segment 0514</b>											
3/17/21 07:25	10468(BS1)	0.3	19.1	6.9	7.8	87	170	108	0.62	13.8	201
<b>Segment 0515</b>											
3/16/21 15:14	10469(LF20)	0.3	17.8	6.9	8.5	90	267	171	0.14	40.9	210


## Segment 0506 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E. coli mpn/100mL
<b>Segment 0512</b>											
3/16/21 14:00	10458(LF2)	0.3	12.4	7.7	12.0	114	142	90	0.74	4.27	2
		1.0	12.3	8.0	12.1	114	142	90			
		2.0	11.9	8.0	12.1	114	142	90			
		3.0	11.9	8.0	12.1	113	142	90			
		4.0	11.8	7.9	12.0	112	142	90			
		5.0	11.7	7.9	11.9	111	142	90			
		6.0	11.4	7.8	11.6	108	142	90			
		7.0	11.0	7.7	11.5	105	141	90			
		8.0	10.5	7.6	11.2	101	141	90			
		9.0	10.0	7.5	10.8	96	141	90			
		10.0	9.4	7.4	10.6	93	141	90			
		11.0	9.4	7.3	10.6	93	141	90			
		12.0	9.4	7.3	10.6	93	141	90			
		13.0	9.3	7.3	10.6	93	141	90			
		14.0	9.1	7.3	10.5	92	141	90			
		15.0	9.0	7.3	10.3	90	141	90			
		16.0	8.8	7.2	10.1	87	141	90			
3/16/21 13:02	10462(LF4)	0.3	13.9	7.5	10.4	102	143	92	0.73	7.30	2
		1.0	13.9	7.5	10.4	102	143	92			
		2.0	13.8	7.5	10.4	101	143	92			
		3.0	13.8	7.4	10.4	101	143	92			
		4.0	13.7	7.4	10.4	101	143	92			
		5.0	13.7	7.4	10.2	99	144	92			
		6.0	13.5	7.3	10.1	97	144	92			
		7.0	13.1	7.3	9.9	91	143	92			
		8.0	12.3	7.2	9.3	86	143	92			
		9.0	12.0	7.1	9.3	79	143	92			
		10.0	11.7	7.1	8.4	75	143	92			
		11.0	11.5	7.0	7.8	71	145	92			
3/16/21 13:26	10461(LF3)	0.3	15.5	7.4	9.4	96	146	94	0.45	14.1	2
		1.0	15.4	7.3	9.4	95	146	94			
		2.0	15.3	7.3	9.3	94	147	94			
		3.0	14.8	7.2	9.3	93	147	94			
		4.0	14.3	7.2	9.4	92	147	94			
		5.0	13.9	7.2	9.3	90	144	93			
		6.0	13.5	7.2	9.1	88	143	92			
		7.0	13.3	7.1	8.9	85	143	92			
		8.0	13.3	7.1	8.6	81	143	92			
		9.0	12.5	7.0	8.0	75	143	92			


### Lake Fork Reservoir Profiles



LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL




LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM515



LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM515

## Segments 0506, 0512, 0514 & 0515




## Segment 0507 - Lake Tawakoni

**Description:** The designated segment includes the impounded Sabine River from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet. Although much of this segment is rural, it contains two cities with populations greater than 5,000 and one of the four largest cities in the Sabine Basin.


### Segment 0507 Water Quality

Date and Time	Station	Depth meter s	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E. coli mpn/100mL
3/16/21 10:25	10434(LT23A)	0.3	11.0	7.6	11.6	107	187	120	0.71	8.14	1
		1.0	11.1	7.9	11.7	107	187	120			
		2.0	10.9	7.9	11.7	106	188	120			
		3.0	10.7	7.8	11.5	103	187	120			
		4.0	10.6	7.8	11.3	103	188	120			
		5.0	10.6	7.8	11.3	102	188	120			
		6.0	10.5	7.8	11.2	102	188	120			
		7.0	10.4	7.8	11.2	101	187	120			
		8.0	10.4	7.8	11.2	101	188	120			
		9.0	10.4	7.8	11.2	100	187	120			
		10.0	10.3	7.7	11.1	100	188	120			
		11.0	10.3	7.7	11.1	100	188	120			
		12.0	10.0	7.7	10.9	97	188	120			
		13.0	9.5	7.6	10.6	94	188	120			
		14.0	9.2	7.6	10.3	89	188	120			
		15.0	9.2	7.5	9.9	86	189	120			
3/16/21 09:26	21173(LT23DN)	0.3	14.0	8.3	11.5	113	190	121	0.55	11.8	<1
		1.0	13.8	8.3	11.4	112	190	121			
		2.0	13.6	8.2	11.4	112	190	121			
		3.0	13.4	8.2	11.5	111	190	121			
		4.0	13.0	8.1	11.5	110	187	121			
		5.0	12.7	8.0	11.2	105	187	121			
		6.0	11.8	7.8	10.8	99	186	119			
		7.0	11.6	7.7	10.5	97	186	119			
		8.0	10.8	7.7	9.9	90	186	119			
		9.0	10.2	7.6	9.7	87	186	119			
		10.0	9.9	7.6	9.6	85	188	120			
3/16/21 11:30	10437(LT23B)	0.3	13.9	7.8	10.7	105	185	119	0.62	14.9	2
		1.0	13.8	7.9	10.6	104	185	119			
		2.0	13.8	7.9	10.5	103	185	119			
		3.0	13.8	7.9	10.5	103	185	119			
		4.0	13.6	7.9	10.4	101	185	119			
		5.0	13.3	7.8	10.3	99	185	119			
		6.0	13.0	7.8	10.3	99	186	119			
		7.0	12.5	7.8	10.2	96	186	119			
		8.0	11.8	7.7	9.8	91	188	120			
		9.0	11.7	7.6	9.6	90	188	120			


### Lake Tawakoni Reservoir Profiles



LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM



LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS



LAKE TAWAKONI AT SH276

## Segment 0507

