
SABINE RIVER AUTHORITY OF TEXAS

TO: INTERESTED PARTIES
FROM: ENVIRONMENTAL SERVICES DIVISION
RE: AUGUST 2018 MONTHLY WATER QUALITY REPORT

The Environmental Services Field Offices conducted water quality monitoring in the Sabine Basin from August 20th through the 23rd. The results of field monitoring are presented in this report¹ and additional data can be found using the Texas Commission on Environmental Quality (TCEQ) Clean Rivers Program Data Tool: <https://www80.tceq.texas.gov/SwqmisWeb/public/crpweb.faces>

Sabine Basin Tidal (Including Tributaries)

Weather – Air temperatures in the tidal basin were hot with highs in the low to mid 90s. Low temperatures were in the upper 60s to low 70s. The tidal stations received 0.55 inches of rainfall in the seven days prior to the sampling event.

Tidal Conditions – Surface salinity values were greater than 2 ppt at four of the six tidal stations. The highest salinity value of 14.9 ppt was recorded at station 10391 (SRT1) at a depth of 8.0 meters.

Lower Sabine Basin (Toledo Bend Reservoir and the Sabine River downstream to Tidal)

Weather – Air temperatures in the lower basin were hot with highs in the low to mid 90s. Low temperatures ranged in the upper 60s to mid 70s. Toledo Bend received 0.02 inches of rainfall during the seven days prior to the sampling event.

Lake Level - The level of Toledo Bend was 168.4 feet with a daily average discharge of 1,098 cfs on the day of sampling. Toledo Bend has a conservation pool level of 172 feet msl. Reservoir profiles indicated stratification of the water column.

Upper Sabine Basin (Lake Tawakoni, Lake Fork Reservoir, and the Sabine River upstream of Toledo Bend)

Weather - Air temperatures in the upper basin were hot with highs in the low 80s to upper 90s. Low temperatures were in the low to upper 70s. Lake Fork and Lake Tawakoni received 0.56 and 1.86 inches of rainfall, respectively, during the seven days prior to the sampling event.

Lake Level - The level of Lake Tawakoni was 435.49 feet msl with a release of 6 cfs on the day of sampling. The level of Lake Fork was 400.96 feet msl with a 33 cfs release on the day of sampling. Lake Tawakoni and Lake Fork have conservation pool levels of 437.5 feet msl and 403 feet msl, respectively. Reservoir profiles at Lake Tawakoni and Lake Fork indicated a stratified water column.

This report and additional links to data for these monitoring stations are available at www.sratx.org. If you have any questions or comments concerning this report, please contact:

- Debra Malus, Environmental Services Division Manager
409-746-3284 (dmalus@sratx.org)
- *Lower and Tidal Sabine Basin*
Jerry Wiegreffe, Lower Basin Field Office Coordinator
409-746-3284 (jwiegreffe@sratx.org)
- *Upper Sabine Basin*
Terry Wilson, Upper Basin Field Office Coordinator
903-878-2420 (twilson@sratx.org)

¹ Data in this report is considered preliminary until it is available in TCEQ's Surface Water Quality Monitoring Information System database.

SABINE RIVER AUTHORITY OF TEXAS

Monthly Water Quality Report


Table of Contents

Fixed Monitoring Stations.....	4
Segment 0501 – Sabine River Tidal.....	5
Segment 0502 - Sabine River Above Tidal	7
Segment 0503 - Sabine River Above Caney Creek	8
Segment 0504 – Toledo Bend Reservoir	9
Segment 0505 - Sabine River Above Toledo Bend Reservoir	14
Segment 0506 - Sabine River Below Lake Tawakoni	15
Segment 0507 - Lake Tawakoni.....	19

Table of Figures

Sabine Basin Map	3
Segment 0501	6
Segment 0502	7
Segment 0503	8
Toledo Bend Reservoir Profiles	12
Segment 0504	13
Segment 0505	14
Lake Fork Reservoir Profiles.....	17
Segment 0506	Error! Bookmark not defined.
Lake Tawakoni Reservoir Profiles	20
Segment 0507	21

Sabine Basin Map



Current Fixed Monitoring Stations

Segment	Station TCEQ ID (SRA-TX ID)	Location
501	10391 (SRT1)	SABINE RIVER AT CHANNEL CAN 3
501	15654 (BB1)	BLACK BAYOU IN CAMERON PARISH
511	10449 (CB1)	COW BAYOU AT ROUND BUNCH ROAD
508	10441 (AB2)	ADAMS BAYOU AT FM 1006
501	15653 (ICW1)	INTERCOASTAL WATERWAY AT PERRY RIDGE
501	10394 (SRT2)	SABINE RIVER AT IH 10
502	10395 (SR1)	SABINE RIVER 12.00 KM UPSTREAM OF IH 10
502	10397 (SR2)	SABINE RIVER AT SH 12 NORTH OF DEWEYVILLE TX.
513	10465 (BCC1)	BIG COW CREEK AT FM 1416 SOUTH OF BON WIER
503	10398 (SR3)	SABINE RIVER AT US 190 EAST OF BON WIER TX.
503	10340 (BA4)	ANACOCO BAYOU AT LOUISIANA HWY 111 CROSSING SOUTHWEST OF KNIGHT LA
503	10399 (SR5)	SABINE RIVER AT SH 63 EAST OF BURKEVILLE TX.
503	10401 (TB6S)	SABINE RIVER BELOW TOLEDO BEND RESERVOIR AT RIGHT ABUTMENT OF SPILLWAY FOR DAM
503	15660 (BT1)	BAYOU TORO AT LA SH 392 IN SABINE PARISH SW OF HORNBECK LA
504	10404 (TB6A)	TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL
504	10406 (TB6C)	TOLEDO BEND RESERVOIR IN SIX MILE BOAT LANE 0.8KM EAST OF SH 87
504	18054 (TB6Q)	TOLEDO BEND RESERVOIR IN NEGREET BAYOU
504	10411 (TB6F)	TOLEDO BEND RESERVOIR IN SUNSHINE BAY NEAR FM 3121 BRIDGE
504	10402 (TB6H)	TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM
504	15659 (TB6K)	TOLEDO BEND RESERVOIR IN LANANA BAYOU AT LOUISIANA SH 191 IN SABINE PARISH LOUISIANA WEST OF MANY
504	15655 (TB6J)	TOLEDO BEND RESERVOIR PATROON BAYOU BRANCH AT FM 276
504	18053 (TB6LN)	TOLEDO BEND RESERVOIR SAN MIGUEL ARM BOAT LANE
504	18052 (TB6R)	TOLEDO BEND RESERVOIR AT RAGTOWN
505	10415 (SR10)	SABINE RIVER AT FM 2517
505	13628 (SR11)	SABINE RIVER AT US 59
505	10427 (SR16)	SABINE RIVER AT SH 42
506	10428 (SR17)	SABINE RIVER AT US 271
506	10429 (SR19)	SABINE RIVER AT SH 14 S. OF HAWKINS
506	10430 (SR21)	SABINE RIVER AT US 69
514	10468 (BS1)	BIG SANDY CREEK AT SH 155
515	10469 (LF20)	LAKE FORK CREEK AT US 80
512	10458 (LF2)	LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL
512	10462 (LF4)	LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM 515
512	10461 (LF3)	LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM 515
507	10434 (LT23A)	LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM
507	21173 (LT23DN)	LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS 1.17KM BEARING 18.61 DEGREES FROM IRON BRIDGE PUMPING STATION.
507	10437 (LT23B)	LAKE TAWAKONI AT SH 276

Segment 0501 – Sabine River Tidal

Description: The designated segment includes the Sabine River from the confluence with Sabine Lake in Orange County to West Bluff in Orange County. Although some areas are quite rural, this part of the Sabine Basin has two cities with populations greater than 5,000 and a variety of industries.


Segment 0508 – Adams Bayou Tidal. The segment reaches from the confluence with the Sabine River in Orange County to a point 1.1 kilometers (0.7 miles) upstream of IH-10 in Orange County.

Segment 0511 – Cow Bayou Tidal. The segment reaches from the confluence with the Sabine River in Orange County to a point 4.8 kilometers (3.0 miles) upstream of IH-10 in Orange County.

Segment 0501 Water Quality

<i>Date and Time</i>	<i>Station</i>	<i>Depth</i>	<i>Temp</i>	<i>pH</i>	<i>DO</i>	<i>% Sat</i>	<i>Cond</i>	<i>TDS</i>	<i>Salinity</i>	<i>Secchi</i>	<i>Turbidity</i>	<i>Enterococcus</i>
		<i>meters</i>	<i>°C</i>	<i>SU</i>	<i>mg/L</i>		<i>µS/cm</i>	<i>mg/L</i>	<i>ppt</i>	<i>meters</i>	<i>NTU</i>	<i>mpn/100mL</i>
8/23/18 09:37	10391(SRT1)	0.3	30.4	7.3	6.2	86	14,500	9,280	8.4	0.87	8.3	8
		3.0	30.4	7.3	5.8	80	18,100	11,700	10.8			
		6.0	30.8	7.4	5.2	75	22,800	14,600	13.7			
		8.0	31.1	7.4	5.1	74	24,600	15,800	14.9			
8/23/18 09:27	15654(BB1)	0.3	31.3	7.3	5.0	71	14,100	9,000	8.1	0.43	16.9	35
		1.5	31.3	7.3	5.0	71	14,000	8,990	8.1			
		3.0	31.4	7.3	5.0	70	14,000	8,990	8.1			
Segment 0511												
8/23/18 09:11	10449(CB1)	0.3	30.7	7.1	5.7	79	11,100	7,090	6.3	0.85	9.27	15
		2.0	30.9	7.0	5.4	75	11,800	7,540	6.7			
		4.0	31.3	6.9	4.6	64	12,700	8,160	7.3			
Segment 0508												
8/23/18 09:55	10441(AB2)	0.3	30.9	7.2	6.5	90	9,550	6,110	0.4	0.41	12.1	45
		2.0	30.9	7.1	5.6	77	9,870	6,310	5.6			
		4.0	30.9	6.9	4.0	55	10,300	6,590	5.8			
8/23/18 10:20	15653(ICW1)	0.3	31.7	7.1	5.6	78	11,600	7,410	6.6	0.65	14.4	24
		2.5	31.8	7.1	5.4	77	11,600	7,400	6.6			
		5.0	31.8	7.1	5.5	77	11,500	7,370	6.6			
8/23/18 10:40	10394(SRT2)	0.3	31.4	6.9	5.3	73	1,700	1,090	0.9	0.55	16.4	15
		3.0	31.1	6.8	3.6	48	3,480	2,220	1.9			
		6.0	30.7	6.7	0.5	7	14,500	9,220	8.3			
		8.0	30.3	6.8	0.3	4	18,900	12,700	11.2			

Segments 0501, 0508 & 0511



Segment 0502 - Sabine River Above Tidal

Description: The designated segment includes the Sabine River from West Bluff in Orange County to the confluence with Caney Creek in Newton County. The largest tributary is Big Cow Creek (Segment 0513). This is largely a rural area with no major industries or cities.

Segment 0513 – Big Cow Creek from the confluence with the Sabine River in Newton County to a point 4.6 kilometers (2.9 miles) upstream of CR 255 in Newton County.


Segment 0502 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
8/22/18 08:50	10397(SR2)	08030500	Sabine River near Ruliff, TX	1,320

Segment 0502 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/23/18 11:07	10395(SR1)	0.3	32.2	7.0	3.7	51	431	277	0.52	21.5	4
8/22/18 08:50	10397(SR2)	0.3	31.1	6.8	6.3	85	163	104	0.42	24.6	8
Segment 0513											
8/22/18 09:30	10465(BCC1)	0.3	26.6	6.1	7.0	87	43	27	0.48	13.9	118

Segments 0502 & 0513



Segment 0503 - Sabine River Above Caney Creek

Description: The designated segment includes the Sabine River from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County. This is largely a rural area with one major city with a population greater than 5,000 and few industries. Two major tributaries that flow from Louisiana include Bayou Anacoco and Bayou Toro.


Segment 0503 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
8/22/18 11:22	10398(SR3)	08028500	Sabine River near Bon Wier, TX	1,060
8/22/18 10:27	10399(SR5)	08026000	Sabine River near Burkeville, TX	494

Segment 0503 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/22/18 11:22	10398(SR3)	0.3	31.0	7.0	7.2	97	180	115	0.38	15.7	1
8/22/18 11:00	10340(BA4)	0.3	29.4	7.4	6.1	80	887	568	0.45	14.3	38
8/22/18 10:27	10399(SR5)	0.3	28.2	6.8	6.6	85	137	87	>1.2	3.99	6
8/20/18 12:48	10401(TB6S)	0.3	30.0	7.3	7.8	103	135	86	>1.2	2.75	20
8/20/18 12:35	15660(BT1)	0.3	30.1	6.7	5.6	74	81	52	0.63	14.6	6

Segment 0503



Segment 0504 – Toledo Bend Reservoir

Description: The designated segment includes the Sabine River from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County. Although this area is largely rural, it includes two cities with populations greater than 5,000. Murvaul Creek is a major tributary that enters upstream of the reservoir.

Segment 0504 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/21/18 13:56	10404(TB6A)	0.3	30.9	7.4	7.7	103	135	86	1.9	1.88	1
		1.0	30.6	7.4	7.7	102	135	86			
		2.0	30.5	7.4	7.6	102	135	86			
		3.0	30.4	7.4	7.6	101	135	86			
		4.0	30.3	7.4	7.6	101	135	86			
		5.0	30.4	7.3	7.6	101	135	86			
		6.0	30.0	7.2	7.0	91	135	86			
		7.0	29.4	6.8	5.0	65	135	86			
		10.0	24.0	6.4	0.4	5	142	91			
		13.0	20.8	6.3	0.4	5	135	86			
		16.0	19.7	6.3	0.4	5	140	90			
		19.0	18.7	6.4	0.4	5	142	91			
		22.0	18.1	6.4	0.4	4	144	92			
		25.0	15.8	6.6	0.3	3	153	97			
8/21/18 08:22	10406(TB6C)	0.3	28.8	6.8	4.8	62	136	87	1.0	4.85	<1
		1.0	28.9	6.7	4.8	62	136	87			
		2.0	28.8	6.7	4.8	62	136	87			
		3.0	28.8	6.6	3.5	44	138	88			
8/21/18 12:53	18054(TB6Q)	0.3	32.0	8.1	8.2	112	140	90	0.95	5.54	2
		1.0	31.6	8.2	8.3	113	140	90			
		2.0	31.1	8.2	8.5	114	140	90			
		3.0	30.8	8.0	8.4	111	140	90			
		4.0	30.6	7.8	7.9	105	140	90			
		5.0	30.5	7.7	7.6	101	140	90			
		6.0	30.4	7.6	7.5	100	140	90			
		7.0	30.4	7.6	7.5	100	140	90			


Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/20/18 10:42	10411(TB6F)	0.3	30.0	7.0	5.8	77	138	88	0.60	5.20	<1
		1.0	30.0	7.0	5.8	77	138	88			
		2.0	29.7	6.8	4.8	64	138	88			
		3.0	29.4	6.7	2.9	34	140	90			
		4.0	29.0	6.4	0.6	7	142	91			
8/21/18 10:48	10402(TB6H)	0.3	29.6	7.2	6.8	90	147	94	1.4	3.05	<1
		1.0	29.6	7.2	6.8	89	147	94			
		2.0	29.5	7.2	6.7	86	147	94			
		3.0	29.3	7.1	6.2	80	147	94			
		4.0	29.2	7.0	5.7	73	147	94			
		5.0	29.2	6.9	5.0	65	147	94			
		6.0	29.1	6.8	4.9	64	147	94			
		7.0	29.1	6.8	4.9	64	147	94			
		10.0	29.0	6.8	4.3	55	148	95			
		13.0	24.3	6.8	0.5	5	185	118			
		16.0	20.9	6.8	0.4	5	174	111			
		19.0	19.7	6.7	0.4	5	177	113			
8/20/18 11:05	15659(TB6K)	0.3	31.4	8.2	7.5	101	146	93	0.55	8.02	<1
		1.0	31.4	8.2	7.4	100	146	93			
		2.0	31.3	7.9	7.0	93	146	93			
		3.0	31.1	7.7	6.6	88	146	93			
		4.0	31.0	7.3	5.9	79	145	93			
		5.0	30.8	7.1	4.9	65	146	93			
		6.0	30.5	6.8	3.1	40	148	95			
		7.0	30.4	6.7	2.2	30	149	95			
		8.0	30.4	6.6	2.3	31	150	96			
8/20/18 10:18	15655(TB6J)	0.3	30.6	7.8	6.9	92	151	97	0.59	10.0	2
		1.0	30.6	7.7	6.9	92	151	97			
		2.0	30.4	7.5	6.6	87	150	96			
		3.0	30.3	7.2	5.4	70	150	96			
		4.0	29.8	6.7	0.8	10	151	97			


Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/21/18 12:11	18053(TB6LN)	0.3	31.8	8.3	8.7	119	147	93	0.75	8.19	<1
		1.0	31.5	8.2	8.7	119	147	93			
		2.0	31.2	8.0	8.7	103	146	93			
		3.0	31.0	7.5	7.2	96	146	93			
		4.0	30.8	7.3	6.6	87	146	93			
		5.0	30.7	7.2	6.2	83	146	93			
8/21/18 09:37	18052(TB6R)	0.3	29.5	7.2	6.2	81	171	109	0.87	6.33	<1
		1.0	29.5	7.2	6.2	81	171	109			
		2.0	29.5	7.2	6.1	80	170	109			
		3.0	29.4	7.1	5.9	77	171	109			
		4.0	29.4	7.1	5.7	74	172	110			
		5.0	29.4	7.1	5.6	73	172	110			
		6.0	29.4	7.0	5.6	73	172	110			
		7.0	29.4	7.1	5.6	73	172	110			
		8.0	29.4	7.0	5.6	73	172	110			
		9.0	29.4	7.0	5.4	70	172	110			
		10.0	29.4	7.0	5.3	70	173	111			
		11.0	29.4	7.0	5.3	69	173	111			


Toledo Bend Reservoir Profiles



TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL




TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM



TOLEDO BEND RESERVOIR AT RAGTOWN

Segment 0504



Segment 0505 - Sabine River Above Toledo Bend Reservoir

Description: The designated segment includes the Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County. Segment 0505 is used extensively for water supply and contains the highest concentration of population in the Sabine Basin with eight cities having populations greater than 5,000. Segment 0505 includes a large section of the East Texas Oilfield as well as numerous industries.


Segment 0505 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
8/21/18 09:35	13628(SR11)	08022040	Sabine River near Beckville, TX	96

Segment 0505 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/21/18 10:05	10415(SR10)	0.3	30.8	8.6	7.8	105	772	493	0.26	22.5	9
8/21/18 09:35	13628(SR11)	0.3	31.0	8.8	7.7	104	944	604	0.22	28.8	2
8/21/18 08:25	10427(SR16)	0.3	30.8	7.3	6.0	80	262	168	0.25	22.2	9

Segment 0505



Segment 0506 - Sabine River Below Lake Tawakoni

Description: The designated segment includes the Sabine River from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County. This is largely a rural area with no cities having a population greater than 5,000. Oilfield activities, rural housing developments, and agriculture are in the watershed. The major tributaries include:

Segment 0514 - Big Sandy Creek from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County.

Segment 0515 - Lake Fork Creek from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County.

Segment 0512 - Lake Fork Reservoir from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet.

Segment 0506 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
8/21/18 08:00	10428(SR17)	08020000	Sabine River near Gladewater, TX	62
8/21/18 06:50	10429(SR19)	08019200	Sabine River near Hawkins, TX	56
8/20/18 14:02	10430(SR21)	08018500	Sabine River near Mineola, TX	8.2
Segment 0514				
8/21/18 07:15	10468(BS1)	08019500	Big Sandy Creek near Big Sandy, TX	6.4


Segment 0506 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/21/18 08:00	10428(SR17)	0.3	29.6	7.4	6.1	81	230	148	0.25	24.5	6
8/21/18 06:50	10429(SR19)	0.3	29.7	7.6	5.8	77	257	164	0.24	24.5	7
8/20/18 14:02	10430(SR21)	0.3	29.9	7.5	5.8	78	913	584	0.27	19.5	5
Segment 0514											
8/21/18 07:15	10468(BS1)	0.3	26.8	7.1	5.6	71	112	72	0.87	9.00	108
Segment 0515											
8/20/18 14:22	10469(LF20)	0.3	29.8	7.4	6.8	90	149	93	0.23	29.1	81
Segment 0512											
8/20/18 12:47	10458(LF2)	0.3	29.5	8.0	7.8	103	140	89	1.3	2.68	1
		1.0	29.6	8.0	7.8	103	140	89			
		2.0	29.5	8.0	7.8	103	140	89			
		3.0	29.5	8.0	7.6	101	140	89			
		4.0	29.4	7.9	7.6	101	139	89			
		5.0	29.4	7.9	7.6	101	139	89			
		6.0	29.4	7.9	7.5	100	139	89			
		7.0	29.4	7.8	7.5	99	139	89			
		8.0	29.3	7.7	7.2	97	139	89			
		9.0	25.5	7.2	<0.1	<1	158	101			
		10.0	22.6	7.0	<0.1	<1	147	94			
		11.0	20.5	6.8	<0.1	<1	141	91			
		12.0	19.7	6.7	<0.1	<1	141	90			
		13.0	18.9	6.7	<0.1	<1	142	90			
		14.0	18.2	6.7	<0.1	<1	146	94			
		15.0	17.6	6.7	<0.1	<1	156	100			
		16.0	17.4	6.8	<0.1	<1	160	102			
		17.0	17.2	6.8	<0.1	<1	165	106			
		18.0	17.2	6.8	<0.1	<1	167	107			


Segment 0506 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
8/20/18 11:52	10462(LF4)	0.3	29.8	8.7	8.2	110	142	91	0.58	4.13	10
		1.0	29.8	8.6	8.2	110	142	91			
		2.0	29.8	8.6	8.2	110	142	91			
		3.0	29.8	8.6	8.1	108	142	91			
		4.0	29.8	8.5	7.8	104	142	91			
		5.0	29.7	8.3	7.5	99	142	91			
		6.0	28.9	7.4	2.6	34	142	91			
		7.0	28.4	7.1	1.2	16	142	91			
		8.0	27.2	6.9	<0.1	<1	148	95			
		9.0	25.8	6.9	<0.1	<1	161	103			
		10.0	22.2	6.8	<0.1	<1	178	114			
8/20/18 12:11	10461(LF3)	0.3	30.1	8.5	8.1	109	143	91	0.58	5.73	2
		1.0	30.1	8.5	8.1	109	142	91			
		2.0	30.0	8.4	7.8	104	142	91			
		3.0	30.0	8.3	7.7	104	142	91			
		4.0	29.9	8.3	7.6	102	142	91			
		5.0	29.9	8.3	7.6	102	142	91			
		6.0	29.9	8.2	7.5	100	142	91			
		7.0	29.9	8.1	7.3	97	142	91			
		8.0	29.8	7.6	5.7	76	144	92			


Lake Fork Reservoir Profiles



LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL




LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM515



LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM515

Segments 0506, 0512, 0514 & 0515




Segment 0507 - Lake Tawakoni

Description: The designated segment includes the impounded Sabine River from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet. Although much of this segment is rural, it contains two cities with populations greater than 5,000, and one of the four largest cities in the Sabine Basin.


Segment 0507 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/20/18 09:20	10434(LT23A)	0.3	28.9	8.6	8.0	105	180	115	0.93	4.78	< 1
			No profile data was collected due to inclement weather								
8/20/18 10:08	21173(LT23DN)	0.3	28.7	8.4	7.0	92	178	114	0.61	7.79	1
		1.0	28.7	8.4	6.9	91	179	114			
		2.0	28.7	8.4	6.9	91	179	114			
		3.0	28.7	8.3	6.8	89	178	114			
		4.0	28.7	8.3	6.7	88	178	114			
		5.0	28.6	8.3	6.6	86	178	114			
		6.0	28.6	8.2	6.4	84	179	114			
		7.0	28.6	8.2	5.9	77	179	114			
		8.0	28.4	7.8	4.3	57	182	116			
		9.0	27.8	7.4	0.6	8	186	119			
8/20/18 11:14	10437(LT23B)	0.3	29.5	8.8	8.1	107	176	113	0.51	8.44	2
		1.0	29.5	8.8	8.1	107	176	113			
		2.0	29.4	8.7	7.8	104	176	113			
		3.0	29.4	8.7	7.8	104	176	113			
		4.0	29.4	8.7	7.8	103	176	113			
		5.0	29.3	8.6	7.5	99	176	113			
		6.0	29.2	8.6	7.2	95	177	113			
		7.0	29.1	8.4	6.3	84	177	113			
		8.0	28.9	8.0	4.6	60	180	115			


Lake Tawakoni Reservoir Profiles



LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM



LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS



LAKE TAWAKONI AT SH276

Segment 0507

