

---

## SABINE RIVER AUTHORITY OF TEXAS

---

**TO:** INTERESTED PARTIES  
**FROM:** ENVIRONMENTAL SERVICES DIVISION  
**RE:** SEPTEMBER 2020 MONTHLY WATER QUALITY REPORT

---

The Environmental Services Field Offices conducted water quality monitoring in the Sabine Basin from September 14<sup>th</sup> through the 17<sup>th</sup>. The results of field monitoring are presented in this report<sup>1</sup> and additional data can be found using the Texas Commission on Environmental Quality (TCEQ) [Clean Rivers Program Data Tool](#).

### **Sabine Basin Tidal (Including Tributaries)**

**Weather** – Air temperatures in the tidal basin were hot with highs in the low to mid 90s. Low temperatures were in the mid 70s. The tidal stations received 0.33 inches of rainfall in the seven days prior to the sampling event.

**Tidal Conditions** – Surface salinity values were greater than 2 ppt at five of the six tidal stations. The highest salinity value of 13.8 ppt was recorded at station 10391 (SRT1) at a depth of 9.0 meters.

### **Lower Sabine Basin (Toledo Bend Reservoir and the Sabine River downstream to Tidal)**

**Weather** – Air temperatures in the lower basin were hot with highs in the upper 80s to low 90s. Low temperatures were in the upper 60s to mid 70s. Toledo Bend received 2.68 inches of rainfall during the seven days prior to the sampling event.

**Lake Level** - The level of Toledo Bend was 169.2 feet with a daily average discharge of 7,680 cfs on the day of sampling. Toledo Bend has a conservation pool level of 172 feet msl. Reservoir profiles indicated a mixed water column in the upper reaches and stratification of the water column in the deeper areas of the reservoir.

### **Upper Sabine Basin (Lake Tawakoni, Lake Fork Reservoir, and the Sabine River upstream of Toledo Bend)**

**Weather** - Air temperatures in the upper basin were mild with highs in the low 70's to upper 80s. Low temperatures were in the low to upper 60s. Lake Fork and Lake Tawakoni received 0.79 and 1.62 inches of rainfall, respectively, during the seven days prior to sampling.

**Lake Level** - The level of Lake Tawakoni was 436.47 feet msl with a release of 6 cfs on the day of sampling. The level of Lake Fork was 401.52 feet msl with a 20 cfs release on the day of sampling. Lake Tawakoni and Lake Fork have conservation pool levels of 437.5 feet msl and 403 feet msl, respectively. Reservoir profiles at Lake Fork indicated stratification of the water column. Reservoir profiles at Tawakoni indicated a mixed water column.

This report and additional links to data for these monitoring stations are available at the [Sabine River Authority of Texas website](#). If you have any questions or comments concerning this report, please contact:

- Pollie Holtham, Environmental Services Division Manager  
409-746-3284 ([pholtham@sratx.org](mailto:pholtham@sratx.org))
- *Lower and Tidal Sabine Basin*  
Jerry Wiegreffe, Environmental Services Assistant Division Manager  
409-746-3284 ([jwiegreffe@sratx.org](mailto:jwiegreffe@sratx.org))
- *Upper Sabine Basin*  
Terry Wilson, Upper Basin Field Office Coordinator  
903-878-2420 ([twilson@sratx.org](mailto:twilson@sratx.org))

---

<sup>1</sup> Data in this report is considered preliminary until it is available in TCEQ's Surface Water Quality Monitoring Information System database.

**SABINE RIVER AUTHORITY OF TEXAS**  
**Monthly Water Quality Report**


Table of Contents

<b>Fixed Monitoring Stations .....</b>	<b>4</b>
<b>Segment 0501 – Sabine River Tidal.....</b>	<b>5</b>
<b>Segment 0502 - Sabine River Above Tidal.....</b>	<b>7</b>
<b>Segment 0503 - Sabine River Above Caney Creek .....</b>	<b>8</b>
<b>Segment 0504 – Toledo Bend Reservoir.....</b>	<b>9</b>
<b>Segment 0505 - Sabine River Above Toledo Bend Reservoir .....</b>	<b>14</b>
<b>Segment 0506 - Sabine River Below Lake Tawakoni .....</b>	<b>15</b>
<b>Segment 0507 - Lake Tawakoni.....</b>	<b>19</b>

Table of Figures

<b>Sabine Basin Map .....</b>	<b>3</b>
<b>Segment 0501.....</b>	<b>6</b>
<b>Segment 0502.....</b>	<b>7</b>
<b>Segment 0503.....</b>	<b>8</b>
<b>Toledo Bend Reservoir Profiles .....</b>	<b>12</b>
<b>Segment 0504.....</b>	<b>13</b>
<b>Segment 0505.....</b>	<b>14</b>
<b>Lake Fork Reservoir Profiles.....</b>	<b>17</b>
<b>Segment 0506.....</b>	<b>18</b>
<b>Lake Tawakoni Reservoir Profiles .....</b>	<b>20</b>
<b>Segment 0507.....</b>	<b>21</b>

## Sabine Basin Map



## Current Fixed Monitoring Stations

Segment	Station TCEQ ID (SRA-TX ID)	Location
501	10391 (SRT1)	SABINE RIVER AT CHANNEL CAN 3
501	15654 (BB1)	BLACK BAYOU IN CAMERON PARISH
511	10449 (CB1)	COW BAYOU AT ROUND BUNCH ROAD
508	10441 (AB2)	ADAMS BAYOU AT FM 1006
501	15653 (ICW1)	INTERCOASTAL WATERWAY AT PERRY RIDGE
501	10394 (SRT2)	SABINE RIVER AT IH 10
502	10395 (SR1)	SABINE RIVER 12.00 KM UPSTREAM OF IH 10
502	10397 (SR2)	SABINE RIVER AT SH 12 NORTH OF DEWEYVILLE TX.
513	10465 (BCC1)	BIG COW CREEK AT FM 1416 SOUTH OF BON WIER
503	10398 (SR3)	SABINE RIVER AT US 190 EAST OF BON WIER TX.
503	10340 (BA4)	ANACOCO BAYOU AT LOUISIANA HWY 111 CROSSING SOUTHWEST OF KNIGHT LA.
503	10399 (SR5)	SABINE RIVER AT SH 63 EAST OF BURKEVILLE TX.
503	10401 (TB6S)	SABINE RIVER BELOW TOLEDO BEND RESERVOIR AT RIGHT ABUTMENT OF SPILLWAY FOR DAM
503	15660 (BT1)	BAYOU TORO AT LA SH 392 IN SABINE PARISH SW OF HORNBECK LA.
504	10404 (TB6A)	TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL
504	10406 (TB6C)	TOLEDO BEND RESERVOIR IN SIX MILE BOAT LANE 0.8KM EAST OF SH 87
504	18054 (TB6Q)	TOLEDO BEND RESERVOIR IN NEGREET BAYOU
504	10411 (TB6F)	TOLEDO BEND RESERVOIR IN SUNSHINE BAY NEAR FM 3121 BRIDGE
504	10402 (TB6H)	TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM
504	15659 (TB6K)	TOLEDO BEND RESERVOIR IN LANANA BAYOU AT LOUISIANA SH 191 IN SABINE PARISH LOUISIANA WEST OF MANY
504	15655 (TB6J)	TOLEDO BEND RESERVOIR PATROON BAYOU BRANCH AT FM 276
504	18053 (TB6LN)	TOLEDO BEND RESERVOIR SAN MIGUEL ARM BOAT LANE
504	18052 (TB6R)	TOLEDO BEND RESERVOIR AT RAGTOWN
505	10415 (SR10)	SABINE RIVER AT FM 2517
505	13628 (SR11)	SABINE RIVER AT US 59
505	10427 (SR16)	SABINE RIVER AT SH 42
506	10428 (SR17)	SABINE RIVER AT US 271
506	10429 (SR19)	SABINE RIVER AT SH 14 S. OF HAWKINS
506	10430 (SR21)	SABINE RIVER AT US 69
514	10468 (BS1)	BIG SANDY CREEK AT SH 155
515	10469 (LF20)	LAKE FORK CREEK AT US 80
512	10458 (LF2)	LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL
512	10462 (LF4)	LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM 515
512	10461 (LF3)	LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM 515
507	10434 (LT23A)	LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM
507	21173 (LT23DN)	LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS 1.17KM BEARING 18.61 DEGREES FROM IRON BRIDGE PUMPING STATION
507	10437 (LT23B)	LAKE TAWAKONI AT SH 276

## Segment 0501 – Sabine River Tidal

**Description:** The designated segment includes the Sabine River from the confluence with Sabine Lake in Orange County to West Bluff in Orange County. Although some areas are quite rural, this part of the Sabine Basin has two cities with populations greater than 5,000 and a variety of industries.


**Segment 0508 – Adams Bayou Tidal.** The segment reaches from the confluence with the Sabine River in Orange County to a point 1.1 kilometers (0.7 miles) upstream of IH-10 in Orange County.

**Segment 0511 – Cow Bayou Tidal.** The segment reaches from the confluence with the Sabine River in Orange County to a point 4.8 kilometers (3.0 miles) upstream of IH-10 in Orange County.

## Segment 0501 Water Quality

Date and Time	Station	Depth	Temp	pH	DO	% Sat	Cond	TDS	Salinity	Secchi	Turbidity	Enterococcus
		meters	°C	SU	mg/L		µS/cm	mg/L	ppt	meters	NTU	mpn/100mL
9/17/20 09:15	10391(SRT1)	0.3	29.2	7.0	4.3	57	7,710	4,930	4.3	1.1	4.80	743
		3.0	29.4	7.0	4.2	57	9,580	6,130	5.3			
		6.0	29.7	7.4	4.4	61	16,000	10,200	8.9			
		9.0	30.0	7.8	4.8	69	24,800	15,100	13.8			
9/17/20 09:04	15654(BB1)	0.3	28.9	6.8	2.8	38	9,900	6,340	5.6	1.0	5.64	368
		1.5	28.9	6.8	2.8	38	9,910	6,340	5.6			
		3.4	28.9	6.8	2.8	37	9,930	6,350	5.6			
<b>Segment 0511</b>												
9/17/20 08:45	10449(CB1)	0.3	29.3	6.9	3.5	46	7,090	4,540	3.9	0.73	7.50	30
		2.0	29.3	6.9	3.5	46	7,140	4,590	4.0			
		4.0	29.3	6.8	3.4	41	7,210	4,620	4.0			
<b>Segment 0508</b>												
9/17/20 09:37	10441(AB2)	0.3	28.9	6.7	1.9	25	3,980	2,540	2.2	1.0	3.77	315
		2.0	29.2	6.7	2.4	32	6,110	3,990	3.4			
		3.7	29.5	6.8	2.8	37	8,140	5,220	4.6			
9/17/20 09:55	15653(ICW1)	0.3	29.2	7.0	4.2	55	7,540	4,840	4.2	1.0	6.43	246
		3.0	29.3	6.9	3.9	52	8,400	5,370	4.7			
		5.6	29.4	7.0	3.5	46	8,760	5,610	4.9			
9/17/20 10:27	10394(SRT2)	0.3	29.5	6.9	4.0	53	143	92	0.1	0.90	5.93	717
		3.0	29.5	6.8	4.0	53	143	92	0.1			
		6.0	29.5	6.8	4.0	52	143	92	0.1			
		9.0	29.5	6.8	4.0	52	143	92	0.1			

# Segments 0501, 0508 & 0511



## Segment 0502 - Sabine River Above Tidal

**Description:** The designated segment includes the Sabine River from West Bluff in Orange County to the confluence with Caney Creek in Newton County. The largest tributary is Big Cow Creek (Segment 0513). This is largely a rural area with no major industries or cities.

**Segment 0513 – Big Cow Creek.** The segment reaches from the confluence with the Sabine River in Newton County to a point 4.6 kilometers (2.9 miles) upstream of CR 255 in Newton County.


### Segment 0502 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
9/16/20 08:00	10397(SR2)	08030500	Sabine River near Ruliff, TX	11,400

### Segment 0502 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond μS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
9/17/20 11:05	10395(SR1)	0.3	29.5	7.0	5.3	69	161	103	0.70	11.8	13
9/16/20 08:00	10397(SR2)	0.3	29.6	7.0	5.9	77	137	88	0.48	16.6	4
<b>Segment 0513</b>											
9/16/20 08:45	10465(BCC1)	0.3	26.3	6.4	6.6	82	46	30	0.48	14.1	36

### Segments 0502 & 0513



## Segment 0503 - Sabine River Above Caney Creek

**Description:** The designated segment includes the Sabine River from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County. This is largely a rural area, including one major city with a population greater than 5,000 and few industries. Two major tributaries that flow from Louisiana include Bayou Anacoco and Bayou Toro.


## Segment 0503 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
9/16/20 10:50	10398(SR3)	08028500	Sabine River near Bon Wier, TX	7,670
9/16/20 09:55	10399(SR5)	08026000	Sabine River near Burkeville, TX	7,200

## Segment 0503 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond μS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
9/16/20 10:50	10398(SR3)	0.3	29.4	7.5	7.4	97	145	93	0.51	11.6	3
9/16/20 10:27	10340(BA4)	0.3	28.6	7.3	6.4	82	253	162	0.16	46.3	14
9/16/20 09:55	10399(SR5)	0.3	29.1	7.8	7.7	100	138	89	1.0	3.33	6
9/14/20 11:35	10401(TB6S)	0.3	29.7	8.0	8.0	105	140	89	>1.2	20.7	12
9/14/20 11:20	15660(BT1)	0.3	27.5	7.2	7.0	89	103	66	0.32	20.7	326

## Segment 0503








## Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond μS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
9/14/20 10:10	10411(TB6F)	0.3	29.9	7.4	6.1	81	132	84	0.68	9.82	4
		1.0	29.9	7.4	6.2	81	131	84			
		2.0	29.9	7.4	6.2	81	131	84			
		3.0	29.9	7.4	6.1	80	131	84			
9/15/20 11:00	10402(TB6H)	0.3	29.3	8.1	7.3	96	141	91	1.1	2.92	<1
		1.0	29.3	7.9	7.2	93	141	91			
		2.0	29.2	7.8	6.8	89	141	91			
		3.0	29.1	7.7	6.8	88	141	91			
		4.0	29.1	7.6	6.7	87	140	90			
		5.0	29.0	7.6	6.6	87	140	90			
		8.0	29.0	7.5	6.6	86	140	90			
		11.0	26.1	6.9	<0.1	<1	161	103			
		14.0	22.3	6.9	<0.1	<1	268	108			
		17.0	22.1	6.9	<0.1	<1	270	108			
9/14/20 10:33	15659(TB6K)	0.3	29.4	7.4	5.8	76	126	81	0.55	7.29	2
		1.0	29.3	7.3	8.3	67	128	82			
		2.0	29.1	7.1	4.3	56	130	83			
		3.0	28.8	6.9	2.6	33	133	85			
		4.0	28.8	6.9	2.1	27	134	86			
		5.0	28.7	6.9	2.2	29	134	85			
		6.0	28.7	6.9	2.3	30	133	85			
		7.0	28.6	6.8	1.9	22	135	86			
9/14/20 09:38	15655(TB6J)	0.3	29.1	7.2	3.5	45	136	87	0.45	9.47	1
		1.0	29.1	7.1	3.9	52	136	87			
		2.0	29.1	7.1	4.0	52	135	87			
		3.0	29.1	7.1	4.0	52	136	87			


## Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond μS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
9/15/20 12:07	18053(TB6LN)	0.3	29.1	7.1	5.0	65	137	87	0.91	5.57	2
		1.0	28.7	7.0	4.5	57	135	87			
		2.0	28.6	7.0	4.3	56	135	87			
		3.0	28.5	7.0	4.0	52	136	87			
		4.0	28.5	6.9	3.9	49	136	87			
9/15/20 09:53	18052(TB6R)	0.3	28.8	7.6	6.7	87	154	98	0.76	7.68	<1
		1.0	28.8	7.5	6.7	87	154	98			
		2.0	28.8	7.5	6.7	87	154	98			
		3.0	28.8	7.5	6.6	85	154	98			
		4.0	28.8	7.5	6.5	85	154	98			
		5.0	28.8	7.4	6.5	85	154	98			

## Toledo Bend Reservoir Profiles



# Segment 0504



## Segment 0505 - Sabine River Above Toledo Bend Reservoir

**Description:** The designated segment includes the Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County. Segment 0505 is used extensively for water supply and contains the highest concentration of population in the Sabine Basin with eight cities having populations greater than 5,000. Segment 0505 includes a large section of the East Texas Oilfield as well as numerous industries.


## Segment 0505 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
9/16/2020 09:15	13628(SR11)	08022040	Sabine River near Beckville, TX	473

## Segment 0505 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
9/16/2020 09:55	10415(SR10)	0.3	28.3	7.4	8.5	111	323	207	0.17	35.7	5
9/16/2020 09:15	13628(SR11)	0.3	28.1	7.3	7.5	97	342	219	0.21	32.7	10
9/16/2020 08:08	10427(SR16)	0.3	27.2	7.1	6.4	82	208	133	0.17	43.4	12

## Segment 0505



## Segment 0506 - Sabine River Below Lake Tawakoni

**Description:** The designated segment includes the Sabine River from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County. This is largely a rural area with no cities having a population greater than 5,000. Oilfield activities, rural housing developments, and agriculture are in the watershed. The major tributaries include:

**Segment 0514 - Big Sandy Creek.** The segment reaches from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County.

**Segment 0515 - Lake Fork Creek.** The segment reaches from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County.

**Segment 0512 - Lake Fork Reservoir.** The segment reaches from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet.

## Segment 0506 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
9/16/2020 07:37	10428(SR17)	08020000	Sabine River near Gladewater, TX	303
9/16/2020 06:35	10429(SR19)	08019200	Sabine River near Hawkins, TX	153
9/15/2020 13:41	10430(SR21)	08018500	Sabine River near Mineola, TX	56
<b>Segment 0514</b>				
9/16/2020 07:05	10468(BS1)	08019500	Big Sandy Creek near Big Sandy, TX	36

## Segment 0506 Water Quality


Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
9/16/2020 07:37	10428(SR17)	0.3	26.8	7.2	6.8	83	290	186	0.14	27.0	21
9/16/2020 06:35	10429(SR19)	0.3	25.9	7.1	6.4	78	244	156	NM	58.4	20
9/15/2020 13:41	10430(SR21)	0.3	25.6	7.1	5.6	69	308	197	0.08	109	89
<b>Segment 0514</b>											
9/16/2020 07:05	10468(BS1)	0.3	25.0	6.9	6.7	81	133	85	1.04	8.46	111
<b>Segment 0515</b>											
9/15/2020 14:00	10469(LF20)	0.3	26.5	7.1	7.0	88	166	106	0.21	34.1	31

NM = Not Measured


## Segment 0506 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
Segment 0512											
9/15/2020 12:05	10458(LF2)	0.3	28.1	8.8	9.5	123	145	93	0.73	2.86	<1
		1.0	27.9	8.8	9.6	124	145	93			
		2.0	27.7	8.6	9.1	116	145	93			
		3.0	27.6	8.5	8.8	112	145	93			
		4.0	27.6	8.3	8.5	107	143	92			
		5.0	27.4	7.9	7.8	98	143	92			
		6.0	27.4	7.7	7.7	97	143	92			
		7.0	27.3	7.6	7.3	92	143	92			
		8.0	27.3	7.5	7.2	92	143	92			
		9.0	27.2	7.4	6.4	81	143	92			
		10.0	26.4	6.9	3.4	42	143	92			
		11.0	25.9	6.7	0.9	10	141	90			
		12.0	24.6	6.8	0.3	3	168	107			
		13.0	22.1	6.9	<0.1	1	166	106			
		14.0	20.8	6.8	<0.1	1	168	108			
		15.0	20.1	6.7	<0.1	1	170	109			
		16.0	19.5	6.7	<0.1	1	177	113			
		17.0	19.2	6.7	<0.1	1	183	117			
9/15/2020 10:58	10462(LF4)	0.3	27.2	7.3	6.8	86	147	94	0.45	3.84	1
		1.0	27.2	7.3	6.7	86	147	94			
		2.0	27.1	7.3	6.4	81	147	94			
		3.0	27.0	7.2	5.8	73	147	94			
		4.0	26.9	7.1	5.6	71	146	94			
		5.0	26.9	7.0	5.5	69	146	94			
		6.0	26.8	7.0	5.2	66	146	94			
		7.0	26.7	6.9	4.6	57	145	94			
		8.0	26.6	6.8	4.0	48	145	94			
		9.0	26.6	6.7	1.5	14	146	94			
		10.0	26.4	6.6	0.3	3	152	97			
		11.0	25.8	6.8	0.2	2	186	118			
9/15/2020 11:21	10461(LF3)	0.3	27.2	7.2	5.8	74	145	93	0.46	6.15	<1
		1.0	27.1	7.0	5.7	73	145	93			
		2.0	27.0	7.0	5.5	70	144	93			
		3.0	26.9	7.0	5.4	68	144	93			
		4.0	26.9	6.9	5.2	66	144	93			
		5.0	26.9	6.9	5.0	63	144	93			
		6.0	26.8	6.9	5.0	63	144	93			
		7.0	26.7	5.0	5.0	62	144	93			
		8.0	26.7	4.9	4.9	61	144	93			
		9.0	26.6	4.7	4.6	58	144	93			


## Lake Fork Reservoir Profiles



LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL




LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM515



LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM515

Segments 0506, 0512, 0514 & 0515




## Segment 0507 - Lake Tawakoni

**Description:** The designated segment includes the impounded Sabine River from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet. Although much of this segment is rural, it contains two cities with populations greater than 5,000 and one of the four largest cities in the Sabine Basin.


### Segment 0507 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
9/15/2020 10:02	10434(LT23A)	0.3	27.0	8.1	7.2	91	185	118	0.60	12.1	<1
		1.0	27.0	8.1	7.2	91	185	118			
		2.0	27.0	8.1	7.2	91	185	118			
		3.0	27.0	8.1	7.1	89	185	118			
		4.0	27.0	8.0	6.9	87	184	118			
		5.0	27.0	8.0	6.8	86	185	118			
		6.0	27.0	8.0	6.8	86	185	118			
		7.0	27.0	8.0	6.8	86	185	118			
		8.0	27.0	8.0	6.7	85	184	118			
		9.0	26.8	7.6	5.1	64	186	119			
		10.0	26.8	7.5	4.4	53	186	119			
		11.0	26.7	7.3	3.4	42	186	119			
		12.0	26.5	7.3	2.9	37	186	119			
		13.0	26.3	7.1	0.9	10	191	123			
		14.0	26.3	7.0	0.3	2	194	124			
		15.0	26.3	7.0	0.2	2	194	124			
9/15/2020 09:20	21173(LT23DN)	0.3	27.2	8.2	7.2	91	184	118	0.47	6.80	<1
		1.0	27.2	8.2	7.0	89	184	118			
		2.0	27.2	8.2	7.1	90	184	118			
		3.0	27.2	8.2	7.0	89	184	118			
		4.0	27.2	8.2	7.0	89	184	118			
		5.0	27.2	8.2	6.8	87	184	118			
		6.0	27.2	8.1	6.7	85	184	118			
		7.0	27.2	8.1	6.7	85	184	118			
		8.0	27.2	8.1	6.6	82	184	118			
		9.0	27.0	7.8	4.9	66	186	119			
		10.0	26.8	7.3	1.0	12	191	123			
9/15/2020 09:00	10437(LT23B)	0.3	26.8	7.6	5.6	71	186	119	0.43	11.2	<1
		1.0	26.8	7.6	5.6	71	186	119			
		2.0	26.8	7.6	5.3	67	186	119			
		3.0	26.8	7.5	5.3	67	186	119			
		4.0	26.8	7.5	5.2	66	186	119			
		5.0	26.8	7.5	5.2	65	186	119			
		6.0	26.8	7.5	4.9	62	186	119			
		7.0	26.8	7.5	4.8	60	186	119			
		8.0	26.7	7.5	4.8	60	186	119			
		9.0	26.7	7.4	4.4	50	186	119			


## Lake Tawakoni Reservoir Profiles



LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM



LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS



LAKE TAWAKONI AT SH276

# Segment 0507

