
SABINE RIVER AUTHORITY OF TEXAS

TO: INTERESTED PARTIES
FROM: ENVIRONMENTAL SERVICES DIVISION
RE: OCTOBER 2018 MONTHLY WATER QUALITY REPORT

The Environmental Services Field Offices conducted water quality monitoring in the Sabine Basin from October 8th through the 11th. The results of field monitoring are presented in this report¹ and additional data can be found using the Texas Commission on Environmental Quality (TCEQ) Clean Rivers Program Data Tool: <https://www80.tceq.texas.gov/SwqmisWeb/public/crpweb.faces>

Sabine Basin Tidal (Including Tributaries)

Weather – Air temperatures in the tidal basin were warm with highs in the 80s. Low temperatures were in the upper 60s to low 70s. The tidal stations received 1.22 inches of rainfall in the seven days prior to the sampling event.

Tidal Conditions – Surface salinity values were greater than 2 ppt at three of the six tidal stations. The highest salinity value of 7.1 ppt was recorded at station 10391 (SRT1) at a depth of 9.0 meters.

Lower Sabine Basin (Toledo Bend Reservoir and the Sabine River downstream to Tidal)

Weather – Air temperatures in the lower basin were warm with highs in the upper 70s to low 90s. Low temperatures ranged in the low 70s. Toledo Bend received 0.74 inches of rainfall during the seven days prior to the sampling event.

Lake Level - The level of Toledo Bend was 168.0 feet with a daily average discharge of 230 cfs on the day of sampling. Toledo Bend has a conservation pool level of 172 feet msl. Reservoir profiles indicated stratification of the water column.

Upper Sabine Basin (Lake Tawakoni, Lake Fork Reservoir, and the Sabine River upstream of Toledo Bend)

Weather - Air temperatures in the upper basin were warm with highs in the mid to upper 80s. Low temperatures were in the upper 60s to low 70s. Lake Fork and Lake Tawakoni received 0.52 and 0.11 inches of rainfall, respectively, during the seven days prior to the sampling event.

Lake Level - The level of Lake Tawakoni was 437.29 feet msl with a release of 6 cfs on the day of sampling. The level of Lake Fork was 401.04 feet msl with a 30 cfs release on the day of sampling. Lake Tawakoni and Lake Fork have conservation pool levels of 437.5 feet msl and 403 feet msl, respectively. Reservoir profiles at Lake Tawakoni and Lake Fork indicated stratification of the water column.

This report and additional links to data for these monitoring stations are available at www.sratx.org. If you have any questions or comments concerning this report, please contact:

- Debra Malus, Environmental Services Division Manager
409-746-3284 (dmalus@sratx.org)
- *Lower and Tidal Sabine Basin*
Jerry Wiegreffe, Lower Basin Field Office Coordinator
409-746-3284 (jwiegreffe@sratx.org)
- *Upper Sabine Basin*
Terry Wilson, Upper Basin Field Office Coordinator
903-878-2420 (twilson@sratx.org)

¹ Data in this report is considered preliminary until it is available in TCEQ's Surface Water Quality Monitoring Information System database.

SABINE RIVER AUTHORITY OF TEXAS

Monthly Water Quality Report


Table of Contents

Fixed Monitoring Stations.....	4
Segment 0501 – Sabine River Tidal.....	5
Segment 0502 - Sabine River Above Tidal	7
Segment 0503 - Sabine River Above Caney Creek	8
Segment 0504 – Toledo Bend Reservoir	9
Segment 0505 - Sabine River Above Toledo Bend Reservoir	14
Segment 0506 - Sabine River Below Lake Tawakoni.....	15
Segment 0507 - Lake Tawakoni.....	19

Table of Figures

Sabine Basin Map	3
Segment 0501	6
Segment 0502	7
Segment 0503	8
Toledo Bend Reservoir Profiles	12
Segment 0504.....	13
Segment 0505	14
Lake Fork Reservoir Profiles.....	17
Segment 0506.....	Error! Bookmark not defined.
Lake Tawakoni Reservoir Profiles.....	20
Segment 0507	21

Sabine Basin Map



Current Fixed Monitoring Stations

Segment	Station TCEQ ID (SRA-TX ID)	Location
501	10391 (SRT1)	SABINE RIVER AT CHANNEL CAN 3
501	15654 (BB1)	BLACK BAYOU IN CAMERON PARISH
511	10449 (CB1)	COW BAYOU AT ROUND BUNCH ROAD
508	10441 (AB2)	ADAMS BAYOU AT FM 1006
501	15653 (ICW1)	INTERCOASTAL WATERWAY AT PERRY RIDGE
501	10394 (SRT2)	SABINE RIVER AT IH 10
502	10395 (SR1)	SABINE RIVER 12.00 KM UPSTREAM OF IH 10
502	10397 (SR2)	SABINE RIVER AT SH 12 NORTH OF DEWEYVILLE TX.
513	10465 (BCC1)	BIG COW CREEK AT FM 1416 SOUTH OF BON WIER
503	10398 (SR3)	SABINE RIVER AT US 190 EAST OF BON WIER TX.
503	10340 (BA4)	ANACOCO BAYOU AT LOUISIANA HWY 111 CROSSING SOUTHWEST OF KNIGHT LA
503	10399 (SR5)	SABINE RIVER AT SH 63 EAST OF BURKEVILLE TX.
503	10401 (TB6S)	SABINE RIVER BELOW TOLEDO BEND RESERVOIR AT RIGHT ABUTMENT OF SPILLWAY FOR DAM
503	15660 (BT1)	BAYOU TORO AT LA SH 392 IN SABINE PARISH SW OF HORNBECK LA
504	10404 (TB6A)	TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL
504	10406 (TB6C)	TOLEDO BEND RESERVOIR IN SIX MILE BOAT LANE 0.8KM EAST OF SH 87
504	18054 (TB6Q)	TOLEDO BEND RESERVOIR IN NEGREET BAYOU
504	10411 (TB6F)	TOLEDO BEND RESERVOIR IN SUNSHINE BAY NEAR FM 3121 BRIDGE
504	10402 (TB6H)	TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM
504	15659 (TB6K)	TOLEDO BEND RESERVOIR IN LANANA BAYOU AT LOUISIANA SH 191 IN SABINE PARISH LOUISIANA WEST OF MANY
504	15655 (TB6J)	TOLEDO BEND RESERVOIR PATROON BAYOU BRANCH AT FM 276
504	18053 (TB6LN)	TOLEDO BEND RESERVOIR SAN MIGUEL ARM BOAT LANE
504	18052 (TB6R)	TOLEDO BEND RESERVOIR AT RAGTOWN
505	10415 (SR10)	SABINE RIVER AT FM 2517
505	13628 (SR11)	SABINE RIVER AT US 59
505	10427 (SR16)	SABINE RIVER AT SH 42
506	10428 (SR17)	SABINE RIVER AT US 271
506	10429 (SR19)	SABINE RIVER AT SH 14 S. OF HAWKINS
506	10430 (SR21)	SABINE RIVER AT US 69
514	10468 (BS1)	BIG SANDY CREEK AT SH 155
515	10469 (LF20)	LAKE FORK CREEK AT US 80
512	10458 (LF2)	LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL
512	10462 (LF4)	LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM 515
512	10461 (LF3)	LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM 515
507	10434 (LT23A)	LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM
507	21173 (LT23DN)	LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS 1.17KM BEARING 18.61 DEGREES FROM IRON BRIDGE PUMPING STATION.
507	10437 (LT23B)	LAKE TAWAKONI AT SH 276

Segment 0501 – Sabine River Tidal

Description: The designated segment includes the Sabine River from the confluence with Sabine Lake in Orange County to West Bluff in Orange County. Although some areas are quite rural, this part of the Sabine Basin has two cities with populations greater than 5,000 and a variety of industries.


Segment 0508 – Adams Bayou Tidal. The segment reaches from the confluence with the Sabine River in Orange County to a point 1.1 kilometers (0.7 miles) upstream of IH-10 in Orange County.

Segment 0511 – Cow Bayou Tidal. The segment reaches from the confluence with the Sabine River in Orange County to a point 4.8 kilometers (3.0 miles) upstream of IH-10 in Orange County.

Segment 0501 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond μS/cm	TDS mg/L	Salinity ppt	Secchi meters	Turbidity NTU	Enterococcus mpn/ 100mL
10/11/18 09:40	10391(SRT1)	0.3	27.1	7.1	5.2	67	7,800	4,990	4.4	1.0	7.85	107
		3.0	27.1	7.0	5.2	66	7,950	5,040	4.6			
		6.0	27.4	7.1	5.0	65	8,860	5,620	4.9			
		9.0	27.6	7.4	5.3	71	12,700	7,810	7.1			
10/11/18 09:30	15654(BB1)	0.3	26.2	6.8	3.1	40	9,530	6,100	5.4	0.84	5.75	145
		1.5	26.2	6.8	3.1	40	9,530	6,100	5.4			
		3.0	26.2	6.8	3.1	40	9,540	6,100	5.4			
Segment 0511												
10/11/18 09:12	10449(CB1)	0.3	26.2	6.7	3.6	45	3,640	2,330	2.0	0.53	11.9	197
		1.5	26.3	6.6	3.6	46	3,620	2,320	2.0			
		4.0	27.5	6.8	4.0	52	6,590	4,220	3.7			
Segment 0508												
10/11/18 10:00	10441(AB2)	0.3	26.2	6.7	2.5	31	3,010	1,930	1.6	0.56	7.85	197
		2.0	26.6	6.7	2.6	34	4,050	2,470	2.1			
		4.0	27.8	6.8	3.6	47	6,840	4,380	3.8			
10/11/18 10:17	15653(ICW1)	0.3	26.9	7.2	5.4	70	10,700	6,840	6.1	0.55	12.7	52
		3.0	27.0	7.2	5.4	70	10,700	6,850	6.1			
		6.0	27.0	7.2	5.4	70	10,700	6,840	6.1			
10/11/18 10:40	10394(SRT2)	0.3	26.9	6.7	4.9	61	211	135	0.1	0.57	13.7	63
		3.0	26.8	6.6	4.6	58	219	139	0.1			
		6.0	26.8	6.5	4.5	56	304	192	0.1			
		9.0	27.0	6.4	4.0	51	2,820	1,880	1.5			

Segments 0501, 0508 & 0511



Segment 0502 - Sabine River Above Tidal

Description: The designated segment includes the Sabine River from West Bluff in Orange County to the confluence with Caney Creek in Newton County. The largest tributary is Big Cow Creek (Segment 0513). This is largely a rural area with no major industries or cities.

Segment 0513 – Big Cow Creek from the confluence with the Sabine River in Newton County to a point 4.6 kilometers (2.9 miles) upstream of CR 255 in Newton County.


Segment 0502 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
10/10/18 08:50	10397(SR2)	08030500	Sabine River near Ruliff, TX	1,800

Segment 0502 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
10/11/18 11:07	10395(SR1)	0.3	26.6	7.0	5.1	64	366	234	0.44	22.4	19
10/10/18 08:50	10397(SR2)	0.3	26.9	6.8	6.6	83	158	102	0.70	20.9	14
Segment 0513											
10/10/18 09:30	10465(BCC1)	0.3	23.6	6.1	7.3	86	40	26	0.63	14.8	133

Segments 0502 & 0513



Segment 0503 - Sabine River Above Caney Creek

Description: The designated segment includes the Sabine River from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County. This is largely a rural area with one major city with a population greater than 5,000 and few industries. Two major tributaries that flow from Louisiana include Bayou Anacoco and Bayou Toro.


Segment 0503 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
10/10/18 11:22	10398(SR3)	08028500	Sabine River near Bon Wier, TX	758
10/10/18 10:28	10399(SR5)	08026000	Sabine River near Burkeville, TX	419

Segment 0503 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
10/10/18 11:22	10398(SR3)	0.3	26.8	7.0	7.0	87	184	118	0.63	18.8	35
10/10/18 11:03	10340(BA4)	0.3	25.0	7.1	6.7	81	426	272	0.40	80.1	1,203
10/10/18 10:28	10399(SR5)	0.3	24.3	6.6	7.9	94	77	49	0.57	25.9	1,203
10/8/18 13:16	10401(TB6S)	0.3	27.3	7.1	8.2	104	136	87	>1.2	2.85	16
10/8/18 13:02	15660(BT1)	0.3	26.2	6.9	6.8	85	91	59	0.80	15.2	39

Segment 0503



Segment 0504 – Toledo Bend Reservoir

Description: The designated segment includes the Sabine River from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County. Although this area is largely rural, it includes two cities with populations greater than 5,000. Murvaul Creek is a major tributary that enters upstream of the reservoir.

Segment 0504 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
10/9/18 14:11	10404(TB6A)	0.3	27.0	7.1	5.5	69	135	87	1.8	1.69	<1
		1.0	26.6	7.0	5.4	67	135	87			
		2.0	26.4	6.9	5.1	62	135	87			
		3.0	26.3	6.8	4.8	59	135	87			
		4.0	26.1	6.6	2.0	25	137	88			
		5.0	25.8	6.5	0.6	7	138	89			
		8.0	24.7	6.6	0.4	5	159	102			
		11.0	22.6	6.6	0.4	5	150	96			
		14.0	20.2	6.5	0.4	5	144	92			
		17.0	19.1	6.4	0.4	4	145	93			
		20.0	18.7	6.4	0.4	4	145	93			
		23.0	17.5	6.5	0.3	3	152	98			
		25.0	16.3	6.6	0.3	3	156	100			
10/9/18 08:23	10406(TB6C)	0.3	28.0	7.3	7.0	89	132	85	0.86	7.44	<1
		1.0	28.0	7.2	7.0	89	132	85			
		2.0	28.0	7.1	7.0	89	132	85			
		3.0	28.0	7.1	6.9	89	132	85			
10/9/18 13:05	18054(TB6Q)	0.3	28.2	8.1	8.0	103	141	90	1.4	2.98	<1
		1.0	28.2	8.1	8.0	102	141	90			
		2.0	28.2	8.1	7.9	102	141	90			
		3.0	28.2	8.1	7.9	101	141	90			
		4.0	28.2	8.1	7.9	101	141	90			
		5.0	28.2	8.1	7.9	101	141	90			
		6.0	28.2	8.0	7.9	100	141	90			
		7.0	28.0	7.6	5.2	64	141	90			


Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
10/8/18 11:10	10411(TB6F)	0.3	28.3	8.1	8.5	108	134	86	0.82	6.38	3
		1.0	28.3	8.0	8.5	109	134	86			
		2.0	28.3	8.0	8.5	109	134	86			
		3.0	28.3	8.0	8.4	106	134	86			
		4.0	27.8	7.5	6.2	78	132	85			
10/9/18 10:57	10402(TB6H)	0.3	27.0	7.3	6.7	84	144	93	1.4	3.32	<1
		1.0	27.0	7.2	6.7	84	145	93			
		2.0	27.0	7.2	6.6	84	144	93			
		3.0	27.0	7.2	6.7	84	145	93			
		4.0	27.0	7.2	6.7	84	145	93			
		5.0	27.0	7.1	6.7	84	145	93			
		8.0	26.9	7.0	5.7	71	147	94			
		11.0	26.7	6.8	3.3	34	151	96			
		14.0	26.4	6.6	1.2	11	157	101			
10/8/18 11:33	15659(TB6K)	0.3	28..5	8.5	8.8	113	146	94	0.68	7.21	8
		1.0	28.2	8.4	8.8	110	146	94			
		2.0	27.2	7.6	4.5	50	147	94			
		3.0	26.8	6.6	0.7	8	148	95			
		4.0	26.7	6.5	0.5	6	148	95			
		5.0	26.6	6.4	0.4	5	148	95			
		6.0	26.6	6.4	0.4	5	148	95			
		7.0	21.5	6.4	0.4	5	150	96			
		8.0	26.4	6.4	0.4	5	152	97			
		9.0	26.4	6.4	0.4	4	152	97			
10/8/18 10:44	15655(TB6J)	0.3	28.0	7.6	7.3	93	147	94	0.63	11.0	<1
		2.0	28.0	7.6	7.3	93	147	94			
		3.0	28.0	7.7	7.4	94	147	94			
		4.0	28.0	7.7	7.4	94	147	94			


Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
10/9/18 12:20	18053(TB6LN)	0.3	28.2	8.5	8.2	104	149	95	0.95	4.98	<1
		1.0	28.2	8.5	8.2	104	149	95			
		2.0	28.2	8.4	8.1	103	149	95			
		3.0	28.2	8.4	8.0	102	149	95			
		4.0	28.1	8.3	7.8	99	149	95			
10/9/18 09:40	18052(TB6R)	0.3	27.4	7.8	7.2	91	163	105	1.0	5.39	<1
		1.0	27.4	7.8	7.2	91	163	105			
		2.0	27.4	7.8	7.2	92	163	105			
		3.0	27.4	7.8	7.1	90	163	105			
		4.0	27.4	7.7	7.1	90	163	105			
		5.0	27.4	7.7	7.1	90	163	105			
		6.0	27.4	7.7	7.1	90	163	105			
		7.0	27.4	7.7	7.0	89	163	105			
		8.0	27.4	7.6	7.0	87	163	105			
		9.0	27.3	7.4	6.0	76	167	106			
		10.0	27.0	7.1	2.7	32	180	115			
		11.0	27.0	6.8	1.0	12	187	119			
		12.0	26.5	6.7	0.4	5	190	122			
		13.0	26.4	6.7	0.4	4	191	122			


Toledo Bend Reservoir Profiles



TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL




TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM



TOLEDO BEND RESERVOIR AT RAGTOWN

Segment 0504



Segment 0505 - Sabine River Above Toledo Bend Reservoir

Description: The designated segment includes the Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County. Segment 0505 is used extensively for water supply and contains the highest concentration of population in the Sabine Basin with eight cities having populations greater than 5,000. Segment 0505 includes a large section of the East Texas Oilfield as well as numerous industries.


Segment 0505 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
10/10/2018 09:20	13628(SR11)	08022040	Sabine River near Beckville, TX	324

Segment 0505 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond $\mu\text{S}/\text{cm}$	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
10/10/2018 09:55	10415(SR10)	0.3	26.0	7.3	7.2	89	958	613	0.25	26.9	117
10/10/2018 09:20	13628(SR11)	0.3	25.4	7.2	6.3	78	500	320	0.27	41.2	144
10/10/2018 08:15	10427(SR16)	0.3	24.7	6.9	5.7	70	259	166	0.15	70.1	365

Segment 0505



Segment 0506 - Sabine River Below Lake Tawakoni

Description: The designated segment includes the Sabine River from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County. This is largely a rural area with no cities having a population greater than 5,000. Oilfield activities, rural housing developments, and agriculture are in the watershed. The major tributaries include:

Segment 0514 - Big Sandy Creek from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County.

Segment 0515 - Lake Fork Creek from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County.

Segment 0512 - Lake Fork Reservoir from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet.

Segment 0506 USGS- Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
10/9/2018 07:45	10428(SR17)	08020000	Sabine River near Gladewater,TX	106
10/10/2018 06:50	10429(SR19)	08019200	Sabine River near Hawkins,TX	58
10/9/2018 13:15	10430(SR21)	08018500	Sabine River near Mineola,TX	8
Segment 0514				
10/10/2018 07:21	10468(BS1)	08019500	Big Sandy Creek near Big Sandy, TX	21


Segment 0506 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
10/9/2018 07:45	10428(SR17)	0.3	24.3	7.1	6.4	77	197	126	0.15	64.9	727
10/10/2018 06:50	10429(SR19)	0.3	24.1	7.4	6.6	80	212	133	0.14	48.6	48
10/9/2018 13:15	10430(SR21)	0.3	25.0	7.3	5.9	72	355	227	0.45	40.1	69
Segment 0514											
10/10/2018 07:21	10468(BS1)	0.3	22.6	6.9	6.6	77	123	78	0.76	13.6	365
Segment 0515											
10/9/2018 13:35	10469(LF20)	0.3	25.3	7.3	6.9	84	155	99	0.25	33.1	139


Segment 0506 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
Segment 0512											
10/9/2018 11:45	10458(LF2)	0.3	25.2	7.2	6.0	73	143	91	1.4	3.38	2
		1.0	25.2	7.2	6.0	73	143	91			
		2.0	25.2	7.2	6.0	73	143	91			
		3.0	25.2	7.2	6.0	73	143	91			
		4.0	25.1	7.1	5.3	61	143	91			
		5.0	25.0	7.0	4.8	58	143	91			
		6.0	24.9	7.0	3.9	50	143	91			
		7.0	24.8	7.0	3.6	44	143	91			
		8.0	24.6	6.8	2.0	23	143	91			
		9.0	24.3	6.7	0.9	10	141	90			
		10.0	23.9	6.7	0.3	3	143	91			
		11.0	23.4	6.8	0.2	2	143	91			
		12.0	23.4	6.8	<0.1	<1	158	101			
		13.0	19.8	6.9	<0.1	<1	162	104			
		14.0	19.1	6.8	<0.1	<1	162	104			
		15.0	18.2	6.8	<0.1	<1	167	107			
		16.0	17.8	6.8	<0.1	<1	180	115			
		17.0	17.5	6.8	<0.1	<1	183	117			
		18.0	17.4	6.7	<0.1	<1	187	119			
10/9/2018 10:50	10462(LF4)	0.3	25.9	7.6	7.4	92	143	92	0.70	5.33	3
		1.0	26.0	7.5	7.4	92	143	92			
		2.0	26.0	7.5	7.4	92	143	92			
		3.0	26.0	7.5	7.4	92	143	92			
		4.0	26.0	7.5	7.3	91	143	92			
		5.0	26.0	7.5	7.3	91	143	92			
		6.0	25.9	7.5	7.3	91	143	92			
		7.0	25.9	7.5	7.4	92	143	92			
		8.0	25.9	7.5	7.5	93	143	92			
		9.0	25.9	7.5	7.5	93	143	92			
		10.0	25.9	7.5	7.4	92	143	92			
10/9/2018 11:09	10461(LF3)	0.3	26.6	7.6	7.2	90	146	93	0.70	7.99	7
		1.0	26.6	7.6	7.2	90	146	93			
		2.0	26.6	7.6	7.1	89	146	93			
		3.0	26.6	7.6	7.1	89	146	93			
		4.0	26.5	7.5	7.1	89	146	93			
		5.0	26.5	7.6	7.0	89	146	93			
		6.0	26.5	7.6	7.0	89	146	93			
		7.0	26.5	7.6	7.1	89	146	93			
		8.0	26.5	7.5	7.0	87	146	93			


Lake Fork Reservoir Profiles



LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL




LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM515



LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM515

Segments 0506, 0512, 0514 & 0515




Segment 0507 - Lake Tawakoni

Description: The designated segment includes the impounded Sabine River from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet. Although much of this segment is rural, it contains two cities with populations greater than 5,000, and one of the four largest cities in the Sabine Basin.


Segment 0507 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
10/9/2018 09:20	10434(LT23A)	0.3	25.3	7.7	6.0	74	183	117	0.99	5.16	<1
		1.0	25.3	7.6	6.0	74	183	117			
		2.0	25.3	7.6	6.0	74	183	117			
		3.0	25.3	7.6	5.8	72	183	117			
		4.0	25.3	7.6	5.8	72	183	117			
		5.0	25.3	7.6	5.8	71	183	117			
		6.0	25.3	7.6	5.8	71	183	117			
		7.0	25.3	7.6	5.7	70	183	117			
		8.0	25.3	7.6	5.6	69	183	117			
		9.0	25.2	7.6	3.0	24	183	117			
		10.0	25.0	7.2	0.8	9	185	118			
		11.0	24.9	7.1	0.2	3	185	119			
		12.0	24.8	7.1	0.2	2	187	120			
		13.0	24.7	7.1	<0.1	<1	189	121			
		14.0	24.6	7.1	<0.1	<1	193	124			
		15.0	23.4	6.9	<0.1	<1	261	167			
10/9/2018 09:02	21173(LT23DN)	0.3	26.1	8.1	6.8	84	181	116	0.72	10.4	<1
		1.0	26.1	8.0	6.8	84	181	116			
		2.0	26.1	8.0	6.8	84	181	116			
		3.0	26.1	8.1	6.8	85	181	116			
		4.0	26.1	8.1	6.8	85	181	116			
		5.0	26.1	8.1	6.7	84	181	116			
		6.0	26.0	8.1	6.7	84	181	116			
		7.0	26.0	8.1	6.7	84	181	116			
		8.0	26.0	8.1	6.7	84	181	116			
		9.0	25.9	8.0	6.5	81	178	114			
		10.0	25.8	7.9	6.2	77	179	114			
10/9/2018 10:08	10437(LT23B)	0.3	26.1	8.1	6.8	84	181	116	0.72	12.3	<1
		1.0	26.1	8.0	6.8	84	181	116			
		2.0	26.1	8.0	6.8	84	181	116			
		3.0	26.1	8.1	6.8	85	181	116			
		4.0	26.1	8.1	6.8	85	181	116			
		5.0	26.1	8.1	6.7	84	181	116			
		6.0	26.1	8.1	6.7	84	181	116			
		7.0	26.1	8.1	6.7	84	181	116			
		8.0	26.0	8.1	6.6	81	182	116			


Lake Tawakoni Reservoir Profiles



TAWAKONI IN THE MAIN LAKE NEAR THE DAM



LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS



LAKE TAWAKONI AT SH276

Segment 0507

