

## SABINE RIVER AUTHORITY OF TEXAS

**TO:** INTERESTED PARTIES  
**FROM:** ENVIRONMENTAL SERVICES DIVISION  
**RE:** AUGUST 2024 MONTHLY WATER QUALITY REPORT

---

The Environmental Services Field Offices conducted water quality monitoring in the Sabine Basin from August 19<sup>th</sup> through the 22<sup>nd</sup>. The results of field monitoring are presented in this report<sup>1</sup> and additional data can be found using the Texas Commission on Environmental Quality (TCEQ) [Clean Rivers Program Data Tool](#).

### **Sabine Basin Tidal (Including Tributaries)**

**Weather** – Air temperatures in the tidal basin were hot with highs in the upper 80s to mid 90s. Low temperatures were in the mid 70s. The tidal stations received no rainfall in the seven days prior to the sampling event.

**Tidal Conditions** – Surface salinity values were greater than 1 ppt at two of the seven tidal stations. The highest salinity value of 4.8 ppt was recorded at station 10391 (SRT1) at a depth of 9.0 meters.

### **Lower Sabine Basin (Toledo Bend Reservoir and the Sabine River downstream to Tidal)**

**Weather** – Air temperatures in the lower basin were hot with highs in the mid to upper 90s. Low temperatures were in the low 70s to upper 70s. Toledo Bend received no rainfall during the seven days prior to the sampling event.

**Lake Level** - The level of Toledo Bend was 168.80 feet with a daily average discharge of 4,203 cfs on the day of sampling. Toledo Bend has a conservation pool level of 172 feet msl. Reservoir profiles indicate a stratified water column.

### **Upper Sabine Basin (Lake Tawakoni, Lake Fork Reservoir, and the Sabine River upstream of Toledo Bend)**

**Weather** - Air temperatures in the upper basin were hot with highs in the low 90s to low 100s. Low temperatures were in the low to upper 70s. Lake Fork and Lake Tawakoni did not receive any rainfall during the seven days prior to sampling.

**Lake Level** - The level of Lake Tawakoni was 436.80 feet msl with a release of 6 cfs on the day of sampling. The level of Lake Fork was 402.10 feet msl with a 60 cfs release on the day of sampling. Lake Tawakoni and Lake Fork have conservation pool levels of 437.5 feet msl and 403 feet msl, respectively. Reservoir profiles at Lake Fork and Lake Tawakoni indicated a mixed upper layer followed by a stratified water column as depths were higher.

This report and additional links to data for these monitoring stations are available at the [Sabine River Authority of Texas website](#). If you have any questions or comments concerning this report, please contact:

- Jerry Wiegreffe, Environmental Services Assistant Division Manager  
409-746-3284 ([jwiegreffe@sratx.org](mailto:jwiegreffe@sratx.org))
- *Lower and Tidal Sabine Basin*  
Kaleb McDade, Field Coordinator  
409-746-3284 ([kmcdade@sratx.org](mailto:kmcdade@sratx.org))
- *Upper Sabine Basin*  
Jube Guajardo, Upper Basin Field Biologist  
903-878-2262 ([jguajardo@sratx.org](mailto:jguajardo@sratx.org))

---

<sup>1</sup> Data in this report is considered preliminary until it is available in TCEQ's Surface Water Quality Monitoring Information System database.

**SABINE RIVER AUTHORITY OF TEXAS**  
**Monthly Water Quality Report**


Table of Contents

<b>Fixed Monitoring Stations .....</b>	<b>4</b>
<b>Segment 0501 – Sabine River Tidal.....</b>	<b>5</b>
<b>Segment 0502 - Sabine River Above Tidal.....</b>	<b>7</b>
<b>Segment 0503 - Sabine River Above Caney Creek .....</b>	<b>8</b>
<b>Segment 0504 – Toledo Bend Reservoir.....</b>	<b>9</b>
<b>Segment 0505 - Sabine River Above Toledo Bend Reservoir .....</b>	<b>14</b>
<b>Segment 0506 - Sabine River Below Lake Tawakoni .....</b>	<b>15</b>
<b>Segment 0507 - Lake Tawakoni .....</b>	<b>19</b>

Table of Figures

<b>Sabine Basin Map .....</b>	<b>3</b>
<b>Segment 0501 .....</b>	<b>6</b>
<b>Segment 0502 .....</b>	<b>7</b>
<b>Segment 0503 .....</b>	<b>8</b>
<b>Toledo Bend Reservoir Profiles .....</b>	<b>12</b>
<b>Segment 0504.....</b>	<b>13</b>
<b>Segment 0505.....</b>	<b>14</b>
<b>Lake Fork Reservoir Profiles.....</b>	<b>17</b>
<b>Segment 0506.....</b>	<b>18</b>
<b>Lake Tawakoni Reservoir Profiles .....</b>	<b>20</b>
<b>Segment 0507 .....</b>	<b>21</b>

## Sabine Basin Map



## Current Fixed Monitoring Stations

Segment	Station TCEQ ID (SRA-TX ID)	Location
501	10391 (SRT1)	SABINE RIVER AT CHANNEL CAN 3
501	15654 (BB1)	BLACK BAYOU IN CAMERON PARISH
511	10449 (CB1)	COW BAYOU AT ROUND BUNCH ROAD
508	10441 (AB2)	ADAMS BAYOU AT FM 1006
501	15653 (ICW1)	INTERCOASTAL WATERWAY AT PERRY RIDGE
501	10394 (SRT2)	SABINE RIVER AT IH 10
501	10395 (SR1)	SABINE RIVER 12.00 KM UPSTREAM OF IH 10
502	10397 (SR2)	SABINE RIVER AT SH 12 NORTH OF DEWEYVILLE TX.
513	10465 (BCC1)	BIG COW CREEK AT FM 1416 SOUTH OF BON WIER
503	10398 (SR3)	SABINE RIVER AT US 190 EAST OF BON WIER TX.
503	10340 (BA4)	ANACOCO BAYOU AT LOUISIANA HWY 111 CROSSING SOUTHWEST OF KNIGHT LA.
503	10399 (SR5)	SABINE RIVER AT SH 63 EAST OF BURKEVILLE TX.
503	10401 (TB6S)	SABINE RIVER BELOW TOLEDO BEND RESERVOIR AT RIGHT ABUTMENT OF SPILLWAY FOR DAM
503	15660 (BT1)	BAYOU TORO AT LA SH 392 IN SABINE PARISH SW OF HORNBECK LA.
504	10404 (TB6A)	TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL
504	10406 (TB6C)	TOLEDO BEND RESERVOIR IN SIX MILE BOAT LANE 0.8KM EAST OF SH 87
504	18054 (TB6Q)	TOLEDO BEND RESERVOIR IN NEGREET BAYOU
504	10411 (TB6F)	TOLEDO BEND RESERVOIR IN SUNSHINE BAY NEAR FM 3121 BRIDGE
504	10402 (TB6H)	TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM
504	15659 (TB6K)	TOLEDO BEND RESERVOIR IN LANANA BAYOU AT LOUISIANA SH 191 IN SABINE PARISH LOUISIANA WEST OF MANY
504	15655 (TB6J)	TOLEDO BEND RESERVOIR PATROON BAYOU BRANCH AT FM 276
504	18053 (TB6LN)	TOLEDO BEND RESERVOIR SAN MIGUEL ARM BOAT LANE
504	18052 (TB6R)	TOLEDO BEND RESERVOIR AT RAGTOWN
505	10415 (SR10)	SABINE RIVER AT FM 2517
505	13628 (SR11)	SABINE RIVER AT US 59
505	10427 (SR16)	SABINE RIVER AT SH 42
505	10423 (SR14)	SABINE RIVER AT SH 149 SOUTH OF LONGVIEW TX
506	10428 (SR17)	SABINE RIVER AT US 271
506	10429 (SR19)	SABINE RIVER AT SH 14 S. OF HAWKINS
506	10430 (SR21)	SABINE RIVER AT US 69
514	10468 (BS1)	BIG SANDY CREEK AT SH 155
515	10469 (LF20)	LAKE FORK CREEK AT US 80
512	10458 (LF2)	LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL
512	10462 (LF4)	LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM 515
512	10461 (LF3)	LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM 515
507	10434 (LT23A)	LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM
507	21173 (LT23DN)	LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS 1.17KM BEARING 18.61 DEGREES FROM IRON BRIDGE PUMPING STATION
507	10437 (LT23B)	LAKE TAWAKONI AT SH 276

## Segment 0501 – Sabine River Tidal

**Description:** The designated segment includes the Sabine River from the confluence with Sabine Lake in Orange County to Morgans Bluff in Orange County. Although some areas are quite rural, this part of the Sabine Basin has two cities with populations greater than 5,000 and a variety of industries.


**Segment 0508 – Adams Bayou Tidal.** The segment reaches from the confluence with the Sabine River in Orange County to a point 1.1 kilometers (0.7 miles) upstream of IH-10 in Orange County.

**Segment 0511 – Cow Bayou Tidal.** The segment reaches from the confluence with the Sabine River in Orange County to a point 4.8 kilometers (3.0 miles) upstream of IH-10 in Orange County.

## Segment 0501 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond μS/cm	TDS mg/L	Salinity ppt	Secchi meters	Turbidity NTU	Enterococcus mpn/ 100mL
8/22/24 09:22	10391 (SRT1)	0.3	31.1	7.1	5.6	76	3,180	2,030	1.7	0.47	18.6	<10
		3.0	31.2	7.0	5.5	75	3,780	2,400	2.1			
		6.0	31.5	7.0	5.2	71	6,970	4,460	3.6			
		9.0	31.4	7.0	4.8	66	9,310	5,880	4.8			
8/22/24 09:11	15654 (BB1)	0.3	30.8	7.0	5.1	68	2,300	1,470	1.2	0.38	19.3	31
		1.5	30.8	7.0	5.0	68	2,300	1,470	1.2			
		3.0	30.8	7.0	5.0	68	2,300	1,470	1.2			
<b>Segment 0511</b>												
8/22/24 08:46	10449 (CB1)	0.3	31.3	6.4	4.4	60	316	202	0.2	0.40	21.2	10
		2.0	31.3	6.4	4.4	59	325	208	0.2			
		4.0	31.2	6.3	4.3	58	325	208	0.2			
<b>Segment 0508</b>												
8/22/24 09:41	10441 (AB2)	0.3	31.4	7.0	4.6	62	235	151	0.1	0.32	22.3	<10
		2.0	31.2	6.8	3.9	53	245	157	0.1			
		4.0	31.0	6.8	3.8	51	248	159	0.1			
8/22/24 09:58	15653 (ICW1)	0.3	30.9	6.8	5.0	68	278	178	0.1	0.47	15.1	20
		2.5	30.9	6.7	5.0	68	271	174	0.1			
		5.0	30.9	6.7	5.0	67	276	177	0.1			
8/22/24 10:37	10394 (SRT2)	0.3	31.7	6.6	5.1	70	105	67	<0.1	0.33	25.8	<10
		2.0	31.2	6.5	4.1	55	105	67	<0.1			
		4.0	31.2	6.4	4.1	55	105	67	<0.1			
		6.0	31.2	6.4	4.1	55	105	67	<0.1			
		8.0	31.2	6.5	4.0	55	105	67	<0.1			
8/22/24 11:06	10395 (SR1)	0.3	31.4	6.7	5.2	71	123	79	<0.1	0.19	45.2	30

## **Segments 0501, 0508 & 0511**



## Segment 0502 - Sabine River Above Tidal

**Description:** The designated segment includes the Sabine River from Morgans Bluff in Orange County to the confluence with Caney Creek in Newton County. The largest tributary is Big Cow Creek (Segment 0513). This is largely a rural area with no major industries or cities.

**Segment 0513 – Big Cow Creek.** The segment reaches from the confluence with the Sabine River in Newton County to a point 4.6 kilometers (2.9 miles) upstream of CR 255 in Newton County.


### Segment 0502 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
8/21/24 08:18	10397(SR2)	08030500	Sabine River near Ruliff, TX	3,010

### Segments 0502 and 0513 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
8/21/24 08:18	10397 (SR2)	0.3	31.0	6.3	5.0	67	104	67	0.12	78.2	3
<b>Segment 0513</b>											
8/21/24 09:18	10465 (BCC1)	0.3	27.3	5.8	6.8	86	31	20	0.68	10.8	41

### Segments 0502 & 0513



## Segment 0503 - Sabine River Above Caney Creek

**Description:** The designated segment includes the Sabine River from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County. This is largely a rural area, including one major city with a population greater than 5,000 and few industries. Two major tributaries that flow from Louisiana include Bayou Anacoco and Bayou Toro.


### Segment 0503 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
8/21/24 11:22	10398(SR3)	08028500	Sabine River near Bon Wier, TX	5,670
8/21/24 10:22	10399(SR5)	08026000	Sabine River near Burkeville, TX	2,740

### Segment 0503 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL
8/21/24 11:22	10398 (SR3)	0.3	31.1	7.0	7.2	97	94	60	0.34	19.0	6
8/21/24 11:02	10340 (BA4)	0.3	30.0	7.0	6.4	85	303	194	0.50	11.5	2
8/21/24 10:22	10399 (SR5)	0.3	30.0	6.7	6.1	81	91	58	0.8	5.90	14
8/19/24 12:44	10401 (TB6S)	0.3	28.5	7.2	8.0	103	93	59	>1.2	3.51	7
8/19/24 12:25	15660 (BT1)	0.3	29.8	6.9	6.7	88	72	46	0.67	13.2	16

### Segment 0503



## Segment 0504 – Toledo Bend Reservoir

**Description:** The designated segment includes the Sabine River from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County. Although this area is largely rural, it includes two cities with populations greater than 5,000. Murvaul Creek is a major tributary that enters upstream of the reservoir.

### Segment 0504 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E.coli mpn/100mL		
8/20/24 14:10	10404 (TB6A)	0.3	32.8	8.0	8.2	112	90	58	1.0	2.56	3		
		1.0	31.9	7.8	7.7	105	90	58					
		2.0	31.6	7.5	7.4	101	90	58					
		3.0	31.3	7.0	6.1	83	90	58					
		4.0	30.3	6.5	2.8	38	89	57					
		5.0	29.4	6.4	1.4	18	89	57					
		8.0	27.7	6.4	<0.1	<1	91	58					
		11.0	25.4	6.5	<0.1	<1	99	63					
		14.0	23.0	6.4	<0.1	<1	111	71					
		17.0	21.3	6.5	<0.1	<1	120	77					
		20.0	20.0	6.6	<0.1	<1	129	82					
		23.0	19.0	6.6	<0.1	<1	135	86					
		24.0	18.6	6.7	<0.1	<1	139	89					
8/20/24 07:47	10406 (TB6C)	0.3	31.2	6.6	5.5	74	84	54	1.0	3.00	<1		
		1.0	31.2	6.5	5.4	73	84	54					
		2.0	31.2	6.5	5.4	72	84	54					
		3.0	31.1	6.4	4.4	57	84	53					
		8/20/24 13:00	18054 (TB6Q)	0.3	32.1	7.6	7.0	96	85	54	0.86	2.87	2
		1.0	31.9	7.4	7.0	96	85	54					
		2.0	31.8	7.3	6.8	93	85	54					
		3.0	31.7	7.1	6.5	90	85	54					
		4.0	31.2	6.8	6.2	85	85	54					
		5.0	28.9	6.5	<0.1	<1	86	55					
		6.0	28.2	6.4	<0.1	<1	84	54					
		7.0	27.9	6.5	<0.1	<1	84	54					
		8.0	27.8	6.6	<0.1	<1	87	56					


## Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/19/24 10:12	10411 (TB6F)	0.3	32.2	7.1	6.5	90	71	46	0.78	5.17	1
		1.0	32.2	7.0	6.4	88	71	45			
		2.0	32.2	6.9	6.2	85	71	45			
		3.0	31.7	6.7	3.3	44	69	44			
		4.0	30.5	6.4	0.4	4	70	45			
8/20/24 10:42	10402 (TB6H)	0.3	30.7	7.1	6.1	82	84	54	1.1	2.95	1
		1.0	30.7	7.0	6.1	82	84	54			
		2.0	30.7	7.0	6.2	83	84	54			
		3.0	30.7	6.9	5.9	79	84	54			
		4.0	30.7	6.8	5.8	78	85	54			
		5.0	30.6	6.7	5.4	73	85	54			
		8.0	28.5	6.4	<0.1	<1	85	54			
		11.0	27.0	6.5	<0.1	<1	84	54			
		14.0	25.3	6.6	<0.1	<1	92	59			
		17.0	22.2	6.7	<0.1	<1	137	88			
		18.0	21.4	6.7	<0.1	<1	146	93			
8/19/24 10:51	15659 (TB6K)	0.3	32.2	6.9	4.9	67	80	52	0.80	4.56	1
		1.0	32.3	6.8	4.8	66	80	51			
		2.0	32.3	6.8	4.8	66	80	51			
		3.0	32.1	6.7	4.1	55	80	51			
		4.0	31.7	6.6	2.7	36	78	50			
		5.0	31.3	6.5	1.7	23	79	50			
		6.0	31.4	6.4	1.8	25	78	50			
		7.0	30.9	6.4	1.2	16	80	51			
		8.0	30.7	6.3	1.0	14	81	52			
8/19/24 09:38	15655 (TB6J)	0.3	32.9	7.2	6.7	93	89	57	0.56	6.58	1
		1.0	32.9	7.2	6.7	93	89	57			
		2.0	32.9	7.1	6.3	88	89	57			
		3.0	30.5	6.6	0.1	1	94	60			
		4.0	30.1	6.6	<0.1	<1	99	63			


## Segment 0504 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E.coli</i> mpn/100mL
8/20/24 12:02	18053 (TB6LN)	0.3	32.2	7.0	5.7	78	82	52	0.72	4.39	<1
		1.0	32.2	6.9	5.7	78	82	52			
		2.0	32.0	6.9	5.4	74	82	52			
		3.0	31.9	6.7	5.1	69	82	52			
		4.0	31.8	6.6	4.2	57	82	52			
		5.0	29.8	6.6	<0.1	1	89	57			
8/20/24 09:15	18052 (TB6R)	0.3	31.5	7.2	6.0	82	112	72	0.71	5.59	<1
		1.0	31.5	7.2	5.9	80	113	72			
		2.0	31.5	7.2	5.9	80	113	72			
		3.0	31.5	7.2	6.0	81	113	72			
		4.0	31.5	7.1	5.8	79	113	72			
		5.0	31.5	6.9	5.3	71	112	72			
		6.0	31.0	6.7	1.7	23	114	73			
		7.0	29.8	6.6	<0.1	<1	121	78			
		8.0	28.9	6.7	<0.1	<1	124	79			
		9.0	28.4	6.7	<0.1	<1	127	82			
		10.0	28.2	6.6	<0.1	<1	130	84			
		11.0	28.2	6.7	<0.1	<1	131	84			
		12.0	28.2	6.7	<0.1	<1	132	84			
		13.0	28.1	6.7	<0.1	<1	134	85			
		14.0	28.1	6.7	<0.1	<1	138	93			


### Toledo Bend Reservoir Profiles



TOLEDO BEND RESERVOIR MAIN LAKE ABOVE THE DAM AT THE OLD RIVER CHANNEL




TOLEDO BEND RESERVOIR AT SH 21 NORTHEAST OF MILAM



TOLEDO BEND RESERVOIR AT RAGTOWN

## Segment 0504



## Segment 0505 - Sabine River Above Toledo Bend Reservoir

**Description:** The designated segment includes the Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County. Segment 0505 is used extensively for water supply and contains the highest concentration of population in the Sabine Basin with eight cities having populations greater than 5,000. Segment 0505 includes a large section of the East Texas Oilfield as well as numerous industries.


### Segment 0505 USGS Recorded Flows

Date and Time	Station	USGS Station #	Location	Flow (cfs)
8/21/24 9:00	13628(SR11)	08022040	Sabine River near Beckville, TX	214
8/21/24 8:13	10423(SR14)	08020990	Sabine River near Longview, TX	219

### Segment 0505 Water Quality

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond $\mu\text{S}/\text{cm}$	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
8/21/24 9:33	10415(SR10)	0.3	30.3	7.3	7.0	94	382	244	0.20	23.7	2
8/21/24 9:00	13628(SR11)	0.3	30.6	7.4	6.8	92	424	272	0.29	17.3	6
8/21/24 8:13	10423(SR14)	0.3	29.8	7.3	6.6	88	330	212	0.24	27.4	3
8/21/24 7:50	10427(SR16)	0.3	30.8	7.3	6.0	82	276	177	0.23	30.0	5

### Segment 0505



## **Segment 0506 - Sabine River Below Lake Tawakoni**

**Description:** The designated segment includes the Sabine River from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County. This is largely a rural area with no cities having a population greater than 5,000. Oilfield activities, rural housing developments, and agriculture are in the watershed. The major tributaries include:

**Segment 0514 - Big Sandy Creek.** The segment reaches from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County.

**Segment 0515 - Lake Fork Creek.** The segment reaches from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County.

**Segment 0512 - Lake Fork Reservoir.** The segment reaches from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet.

### **Segment 0506 USGS- Recorded Flows**

Date and Time	Station	USGS Station #	Location	Flow (cfs)
8/21/24 07:20	10428(SR17)	08020000	Sabine River near Gladewater, TX	175
8/20/24 15:45	10429(SR19)	08019200	Sabine River near Hawkins, TX	103
8/20/24 15:00	10430(SR21)	08018500	Sabine River near Mineola, TX	18
<b>Segment 0514</b>				
8/20/24 16:10	10468(BS1)	08019500	Big Sandy Creek near Big Sandy, TX	15


### **Segment 0506 Water Quality**

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	<i>E. coli</i> mpn/100mL
8/21/24 07:20	10428(SR17)	0.3	30.7	7.4	6.7	92	245	157	0.20	30.6	5
8/20/24 15:45	10429(SR19)	0.3	32.0	7.8	8.8	122	242	155	0.27	22.7	7
8/20/24 15:00	10430(SR21)	0.3	30.5	7.3	6.4	88	635	407	0.23	26.5	5
<b>Segment 0514</b>											
8/20/24 16:10	10468(BS1)	0.3	29.0	7.0	6.4	85	119	76	1.0	7.13	47
<b>Segment 0515</b>											
8/20/24 15:25	10469(LF20)	0.3	30.2	7.1	6.4	86	173	111	0.24	26.1	7


## Segment 0506 Water Quality Continued

Date and Time	Station	Depth meters	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E. coli mpn/100mL
<b>Segment 0512</b>											
8/20/24 14:05	10458(LF2)	0.3	30.4	7.2	5.0	67	160	102	0.46	3.15	<1
		1.0	30.2	7.2	5.0	68	160	102			
		2.0	29.8	7.2	4.5	61	160	102			
		3.0	79.7	7.0	3.9	52	160	102			
		4.0	29.1	6.9	0.6	7	162	104			
		5.0	28.4	6.8	<0.1	<1	166	106			
		8.0	26.9	6.9	<0.1	<1	166	106			
		11.0	22.9	6.8	<0.1	<1	177	113			
		14.0	20.8	7.0	<0.1	<1	186	119			
		17.0	18.6	7.0	<0.1	<1	224	143			
		19.0	18.4	7.0	<0.1	<1	232	148			
8/20/24 13:12	10462(LF4)	0.3	31.3	8.5	7.0	96	163	105	0.54	4.78	2
		1.0	31.2	8.6	7.0	96	163	105			
		2.0	31.1	8.5	6.9	94	163	105			
		3.0	31.0	8.2	6.4	86	163	105			
		4.0	30.9	8.0	6.1	82	163	105			
		5.0	30.9	8.2	6.3	85	163	105			
		6.0	30.8	8.2	6.5	88	163	105			
		7.0	30.8	8.4	6.8	91	163	105			
		8.0	30.2	7.3	<0.1	<1	117	107			
		9.0	27.4	6.9	<0.1	<1	182	117			
		10.0	25.7	6.8	<0.1	<1	191	122			
		11.0	24.8	6.8	<0.1	<1	200	128			
8/20/24 13:30	10461(LF3)	0.3	31.8	8.6	7.6	106	165	106	0.45	5.73	1
		1.0	31.8	8.7	7.7	106	165	106			
		2.0	31.6	8.6	7.6	104	164	105			
		3.0	31.5	8.4	7.0	96	165	105			
		4.0	31.4	8.2	6.4	89	165	105			
		5.0	31.3	7.7	5.1	69	165	105			
		6.0	30.9	7.2	2.2	29	168	107			
		7.0	28.6	7.0	<0.1	<1	170	108			
		8.0	27.3	6.9	<0.1	<1	190	121			
		9.0	27.1	6.8	<0.1	<1	200	128			


### Lake Fork Reservoir Profiles



LAKE FORK RESERVOIR NEAR DAM IN CREEK CHANNEL




LAKE FORK RESERVOIR MID-COVE IN LAKE FORK CREEK ARM AT FM515



LAKE FORK RESERVOIR MID-ARM IN CANEY CREEK ARM AT FM515

## Segments 0506, 0512, 0514 & 0515




## Segment 0507 - Lake Tawakoni

**Description:** The designated segment includes the impounded Sabine River from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet. Although much of this segment is rural, it contains two cities with populations greater than 5,000 and one of the four largest cities in the Sabine Basin.


### Segment 0507 Water Quality

Date and Time	Station	Depth meter s	Temp °C	pH SU	DO mg/L	% Sat	Cond µS/cm	TDS mg/L	Secchi meters	Turbidity NTU	E. coli mpn/100mL
8/20/24 11:31	10434(LT23A)	0.3	29.5	8.5	4.8	64	207	132	0.75	4.02	1
		1.0									
		2.0									
		3.0									
		4.0									
		5.0									
		6.0									
		7.0									
		8.0									
		9.0									
		10.0									
		11.0									
		12.0									
		13.0									
		14.0									
		15.0									
8/20/24 10:31	21173(LT23DN)	0.3	30.5	8.4	4.8	65	202	129	0.77	6.07	<1
		1.0	30.5	8.4	4.9	65	202	129			
		2.0	30.5	8.4	4.6	62	202	129			
		3.0	30.4	8.3	4.4	59	202	129			
		4.0	30.3	8.2	4.0	53	202	129			
		5.0	30.2	8.0	3.4	47	203	129			
		6.0	30.0	8.0	3.3	44	202	129			
		7.0	30.0	7.9	3.3	44	201	129			
		8.0	29.9	8.0	3.4	45	200	128			
		9.0	29.9	7.9	3.3	44	200	128			
		10.0	28.9	7.2	<0.1	<1	219	139			
8/20/24 12:17	10437(LT23B)	0.3	31.4	9.0	8.3	114	201	129	0.40	5.91	<1
		1.0	31.4	9.1	8.3	114	201	129			
		2.0	31.2	9.0	7.9	108	201	129			
		3.0	31.1	8.8	7.1	96	201	129			
		4.0	31.1	8.8	6.6	90	201	129			
		5.0	31.0	8.7	6.2	84	201	129			
		6.0	31.0	8.6	5.8	79	201	129			
		7.0	30.9	8.5	4.7	64	201	129			
		8.0	30.9	8.3	3.6	48	201	129			
		9.0	28.4	7.3	<0.1	<1	230	147			


### Lake Tawakoni Reservoir Profiles



LAKE TAWAKONI IN THE MAIN LAKE NEAR THE DAM



LAKE TAWAKONI IN WACO BAY EQUIDISTANT FROM FINGER AND SPRING POINTS



LAKE TAWAKONI AT SH276

## Segment 0507

